



## **BRIHANMUMBAI MAHANAGARPALIKA**

# Section 17 Manuals as per provision of RTI Act 2005 of 'S' Ward

## PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

Address - Office of Pest Control Officer R. No. 302, 3<sup>rd</sup> floor, 'S' Ward Building, L.B.S. Road, Bhandup (W), Mumbai – 400 078.

INDEX				
Sr. No.	Section No.	Name of the manual	Page No	
		Introduction	3	
1	4 (1) (b) (l)	Particulars of Organization, functions & duties	4 – 12	
2	4 (1) (b) (ll)	Powers and Duties of Officers of Public Health Department	13 – 27	
3	4 (1) (b) (III)	Procedure followed in decision making process including channels of supervision & accountability	28-29	
4	4 (1) (b) (IV)	Norms sets for the discharge of functions	30	
5	4 (1) (b) (V)	Rules, Regulations, Instructions Manuals & Records held or under the control for discharging functions	31	
6	4 (1) (b) (VI)	A Statement of the Categories of the documents that are held by it or under its control	32-35	
7	4 (1) (b) (VII)	The Particulars of any arrangements that exists for consultation with or representation by members of the public in relation to the formulation of its policy	36	
8	4 (1) (b) (VIII)	A Statement of Boards, councils, Committees & other Bodies constituted as its part	37	
9	4 (1) (b) (IX)	Directory of Officers	38	
10	4 (1) (b) (X)	Pay Grades of Officers	39	
11	4 (1) (b) (XI)	The Budget allocated to each Agency Particulars of all plans, proposed expenditure & reports on disbursement made	40-41	
12	4 (1) (b) (XII)	The manner of execution of subsidy programs	42	
13	4 (1) (b) (XIII)	Particulars of recipients of concessions, permits, authorization granted by it	43-89	
14	4 (1) (b) (XIV)	Details in respect of information available on Electronic form	90	
15	4 (1) (b) (XV)	Particulars of the facilities available to citizens for obtaining information	91-92	
16	4 (1) (b) (XVI)	The names designations & other particulars of the Public Information Officers	93	
17	4 (1) (b) (XVII)	Other Useful Information	94-95	

#### INTRODUCTION

#### **Right to Information Act, 2005**

This handbook of <u>"Right to Information Act, 2005"</u> is prepared to facilitate the implementation of the act by giving information about the Pest Control Department S ward to the Citizens.

#### **Objective**

- The Objective of this handbook is to provide information to citizens and transparency of information.
- All Citizens shall have the right to information.
- A person who desire to obtain any information under this act, not available in this hand book shall make request in writing in English, Hindi or in Marathi, accompanying such fees as may be prescribed, to the <u>Public Information Officer</u> of this department specifying the particulars of the information sought by him or her.


All the information furnished in the manuals is subject to addition, alteration and modification as and when necessary.

## Section 4(1) (b) (l)

## The particular of function & duties of the public authority

1.	Name of the Public Information Officer	Pest Control Officer
2.	Address	Office of the Pest Control Officer, R. No. 302, 3 <sup>rd</sup> Floor, BMC, Ward Office 'S' Ward, Bhandup (W), Mumbai – 400 078.
3.	Head of the Office	Insecticide Officer
4.	Parent Government Department	Public Health Department
5.	Reporting to which Office	Assistant Commissioner, 'S' Ward
6.	Jurisdiction Geographical	<ul> <li>'S' ward is bounded by the Thane creek on the</li> <li>East: Eastern Express High Way</li> <li>West : Verawali Garden, Powai.</li> <li>North : Mulund Goregaon Link Road.</li> <li>South: Vikhroli Bus Depot to Vikhroli Stn. (W)</li> </ul>
7.	Mission / Vision	To keep vector borne disease incidence at its minimum.
8.	Objectives	To control mosquitoes, Rats, House Flies etc.,
9.	Functions	Vector control in 'S' ward's area
10.	Details of services provided (In brief)	Anti larval, Anti adult, Rodent Control, Anti fly treatment.
11.	Physical assets (Statement of lands & Building and other Assets)	Nil
12.	Organization's structural chart	As per separate sheet attached
13.	Tel. Nos. & office timings	Telephone No. 69364000 EXT:- 304 / 305 Email : <u>pco.s@B.M.Cgov.in</u> Office Timing: 7.00 A.M. to 2.00 P.M. (Mon. to Sat.) Visiting Hours: 12.00 P.M. to 2.00 P.M. (Mon. to Sat.)
14.	Weekly Holidays	Sunday and Public Holidays.

#### ORGANISATION CHART OF PEST CONTROL DEPARTMENT 'S' WARD



Sr. No.	Particular	Schedule Staff	Existing Staff	Vacant Staff
1	Pest Control Officer	01	01	00
2	Clerk	01	01	00
3	Sup. Junior Overseer	01	00	01
4	Junior Overseers	07	06	01
5	Fogging Sub Inspector	01	00	01
6	Disinfectant Sub Inspector	01	01	00
7	Superior Field Worker	01	00	01
8	Labour / Field Worker	59	43	16

## Particulars of organization, functions & duties

#### BRIHANMUMBAI MAHANAGARPALIKA PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

#### (1) INTRODUCTION :

The Insecticide Branch of public Health Department is a derivative of the original Malaria Department, established in the then Bombay Municipal Corporation as per recommendations of Dr. C.A Bentley, who took over the investigation in process regarding malaria by his military predecessor since Capt. F.V. Mackie, I.M.S. (1908) & Capt A.G. Mc Kendrick, IMS (1909) & Others.

As originated from the malaria problem of Mumbai and also as a present need, malaria eradication remained the soul behind the functioning of the department. At present, however, the department is functioning in a much diversified manner, but retaining its original identity by keeping malaria as the top and constant priority.

#### (2) FUNCTIONING :

The task of malaria vector control is directly undertaken by the governments of states, whereas mosquito nuisance control is an obligatory duty of the local self government bodies. In case of Mumbai both the problems are dealt with by the BRIHANMUMBAI MUNICIPAL CORPORATION.

Priority-wise various functions of the insecticide branch are as follows:-

(A) Malaria vector control.

- (B) Dengue hemorrhagic fever vector control.
- (C)Mosquito nuisance control (Filaria vector)
- (D) Fly control.
- (E) Rodent and flea control.

#### Ward:- 'S'

Area :- 64.559 Sq.km

Population:- 763362 Boundary :-				
East	: Eastern Express Highway			
West	: Verawali Garden, Powai.			
North	: Mulund Goregaon Link Road.			
South	: Vikhrolil Bus Depot To Vikhroli Station			

#### (A) MALARIA VECTOR CONTROL :

Malaria is a communicable disease caused by certain parasites of the Genus – Plasmodium. It is caused by the bite of an infected female Anopheline mosquito.

The statement of Major G. Covell in his report "Malaria in Bombay,1928" is equally true even today with all the great changes in the area, population, living habits, standard of living and development with fast urbanization of the city of Mumbai.

"There is no natural malaria in Bombay. The chief reason being the absence of natural streams. *Anopheles stephensi* is the only species of mosquito which plays any appreciable part in the transmission of the disease in the island, and its breeding places are exclusively man made as was explained in an earlier chapter, this mosquito is the one malaria carrying anopheline in India which is able to adapt itself to life in a large city in the case of other carriers facilities for breeding suitable to their needs are not produced in urban areas. But *A. stephensi* is the great well and cistern breeder of India, and unless this breeding places and others of a similar nature are rendered permanently mosquito proof it will continue to flourish even in the heart of the city."

Based on the above facts and also that *A. stephensi* requires fresh water, preferably constantly renewed, or water bodies which are in darkness or constantly exposed to sunlight to breed in .Mosquito vector control is sequentially designed as below :

- (1) Reduction of breeding sources
- (2) Engineering methods Major and minor for total elimination of breeding Potentialities
- (3) Biological methods zoological & botanical
- (4) Chemical Methods
- (5) Legal methods

Community participation is an indispensable factor in any public health program. In metropolis like Mumbai no administration can depend on community participation based only on public education especially when it comes to malaria. Considering the scientific facts involved in vector mosquito biology, mandatory participation of community is achieved by adopting legislative measures the then state of Bombay was the first government to adopt and implement Legislative measures for the control of the vector mosquito.

#### SECTIONWISE BOUNDARY OF P.C.O 'S' WARD

Ward	Sec. No.	Section-wise Boundaries
	1	Kanjur Station (W), Lodha Complex, Village Road, Bhandup (E),
	1	Usha Complex.
		M.G. Link Road, Village Road, J.M. Road, Tank Road, LBS Road
	2	To Sonapur, Bhandup Phatak To Harishchandra Koparkar marg
		Bhandup (E)
	3	LBS Road (West side), Bhandup Complex & IIT, A.S. marg,
	3	Tembhipada Road, Bhandup (W)
	4	Vikhroli Depot, S.M.Shetty School, Gandhi Nagar, Pawarwadi.
	5	Jalvayu Vihar Powai, Sandipani ashram, Kailash nagar, Morarji
		nagar, Filterpada, Phule nagar.
		Vikhroli Station Road (E & W), LBS Road (East side), Kanjur Station
	6	Road (E&W), Seth Govindram Jolly Marg, JVLR, Eastern Express
		Highway (West side).
	7	Kannamwar Nagar No.1, HIG Colony, Kannamwar Nagar No. 2, Old Police Chowky, Creek.

#### (B) DENGUE HAEMORRHAGIC FEVER VECTOR CONTROL :

There are 2 species of Aedes mosquito in Mumbai which can play a role of vector in dengue (Dengue Hemorrhagic fever virus transmission from an infected person to a healthy person). Fortunately the habit and habitat of these species of mosquito are such that, mere reduction of temporary breeding places along with confined thermal fumigation even can work as a method of total relief during monsoon or focal outbreak.

SECTION NO	NAME OF SLUM
	Ramnagar, Ishwar Nagar, Bhandupeshwar Talav, Tata Nagar, Ashok
1	Nagar, Datar Colony, Damale Colony, Prem Nagar, Neharu Nagar,
	Bhandup Village Road.
2	Sonapur, Tulshetpada, Khindipada, Tanajiwadi, Ambewadi.
3	Nardas Nagar, Shivaji Nagar, Sai Hill, Valmiki Nagar, Kaju Tekadi, Hanuman Nagar, Pratap Nagar, Utkarsha Nagar, Ramabai Nagar, Konkan nagar, Samarth Nagar, Pathan Colony, Jamil Nagar, Sahyadri Nagar, Janata market.
4	Surya Nagar, Islampura, Phule Nagar, Ramabai Nagar No 1 & 2, Morarji Nagar, Indira Nagar, Gautam nagar, Gavthan, Saigalwadi, Hari Om nagar, Swami Narayan Nagar, Pawarwadi, Gokhale Nagar, Ambedkar Nagar, Chaitanya Nagar, Tirandaz Village
5	Gavadewadi, JummaTeli Chawl, Hansaraj Meghaji Chawl, Vijay Nager, Shanti Nagar, Indira Nagar No1, Ramgad, Vitthal Nagar.

#### SLUM PROFILE - 'S' WARD

6	Hariyali Village, Station road to Santoshi Mata mandir, Vikhroli (E)			
7	Bhimchaya, Shivchyaya, Indira Vikas Seva Sangh, Bhim Nagar, Swayambhu Hanuman Nagar, Sai Shradha Rahiwashi Sangh, Sainath Slum.			

#### (C) MOSQUITO NUISANCE CONTROL (FILARIA VECTOR)

In case of nuisance causing mosquitoes, the major role is played by *Culex quinquefasciatus* which is also vector species for Filaria. This species is a typical breeder of polluted water. The breeding sources are open channel drains, Nullahs, Septic tanks, low lands, grass plots, Aqua Privies, Storm water entrances etc. The selection of method for the control of this mosquito more or less remains the same as those of malaria vector but differs with the size and nature of breeding sources.

#### SECTION WISE WEEKLY ANTILARVAL PROGRAMME OF PCO S WARD

Sec						<u> </u>
No.	MON	WED	TUE	THUR	FRIDAY	SAT
1	CGS Qts. To Narcotics Academy,Ram nagar, DAV College, Bhandup(E).	Bhandup Stn.Rd(W),Ishw ar Nagar,GKW,Indi an Smelting to Kanjurmarg Stn (W).	Menon College, Rachna soc.,Kranti nagar,Bhan dupeshwar talav,Tata nagar, Bhandup (E).	Bhandup Stn.(W), Dreams complex,Kukr eja soc.,Usha nagar, Bhandup village rd. (W).	Ashok nagar, Datar colony,Damle colony,Premn agar, Bhandup(E).	Crompton co., Mansukh co., Ankur Hosp., Kanjurmarg Police Stn.,Nehru nagar, Kanjurmarg (E).
II	Tulshet pada, Gaondevi road,Milind nagar,Lake road,Tembhipa da.	Khindipada,Son apur,LBS road to Bhaichand textiles,Bhandup (W).	RR Paints to Mini Land, Jangal Mangal Rd., Draksh baug, Tank road, Bhattipada.	Merind co. to Wockhardt Hosp., LBS road,Asian Paints,Bhimn agar.	Bhandup gaon (E), Jaydeep nagar, Kamal Sagar, Koparkar marg, Bhandup(E).	Datta mandir road, Village road, CEAT Tyres to Savala const., Link road.
111	Kedare chowk,Gadhav naka,Ganesh nagar,Anand nagar.	Shivaji nagar, Tembhipada, Nardas nagar, Sai hill road,Sai vihar road.	Kokan nagar, Utkarsh nagar, Ramabai nagar.	Tank road to LBS road,Mangatr am petrol pump, Kaju tekdi, Valmiki nagar.	Sahyadri nagar,Jamil nagar, Buddh nagar.	Pratap nagar road, Mharashtra nagar, Farid nagar, Umid nagar, NCH Colony.
IV	Godrej staff Qtrs. to Surya nagar, LBS road, Vikhroli (W).	Surya nagar east slum to Gandhi nagar marble comp.,Ambedke r nagar.	IIT Complex staff qts., AS marg, Powai.	Padmawati road, Hanuman nagar, Gokhale nagar, Chaitanya nagar, Powai.	Hari Om nagar, Tirandaz village, GS comp., Green Valley,Yogi Divine ashram.	Hiranandani complex, Pawar wadi, Panchkutir, AS marg, Powai.
V	Jalvayu vihar to IIT residential	Prathmesh Galaxy to	Ambedkar garden to	Sandipani ashram,	Residence & Chalet	Vihar Lake filtration plant

	complex,Powai.	MHADA bldgs. to Scout Camp, Jaltarang,Powai.	L&T Co., Water Dept., Powai.	Kailash nagar, Morarji nagar, Gautam nagar,pipe line,Powai.	Hotels, Paspoli village,Darga h road,Peru baug, NITIE,Vihar Lake.	to Water dept. qts., Pathanwadi, Filterpada,Phu le nagar.
VI	Tagore nagar bldg no. 1 to 53,Bharat nagar,opp. Post Office.	Tagore nagar Grp. no.1 to 3,Ganesh mandir.	Tagore nagar Grp. no.4 to 5, Sanjay Gandhi nagar.	Vikhroli Stn.(W), LBS road,Huma Theatre to Kanjurmarg Stn.(W).	Vikhroli Stn.(E), Hariyali village, Masjid.	Tagore nagar Grp. no.6,7,8, Indira nagar.
VII	Kannamwar nagar 1,bldg. no.30 to 176, Mun. school.	Kannamwar nagar 1,bldg. no.70 to 199, Sambhaji maidan,MK Trust.	Kannamwar nagar 1,Shopping center, Ambedkar Hosp.	Kannamwar nagar 2,bldg. no.2 to 195 to Godrej co. signal.	Kannamwar nagar 2,bldg. no.195 to 123 to Police Stn. to creek.	Kannamwar nagar 2,Pragati Vidyalay ,bldg. no.2 to 122 to creek.

#### (D) FLY CONTROL:

Flies are the commonest and most familiar of all insects which in close association with man and occur throughout the year abundantly. Flies should be regarded as a sign of insanitation and their numbers as an index of that insanitation.

The fly *Musca domestica* found in Mumbai is called as housefly. Its breeding places varies from fresh horse manure, garbage to decaying foods and vegetables. They are prevalent near dwelling houses, restaurants, hospitals, cattle shades, slaughter houses, dumping grounds, markets etc. The span of metamorphosis of fly is variable as per the environmental conditions and nature of breeding grounds.

The flies transmit diseases like typhoid. Diarrhoea, Dysentery, Cholera, Gastro-enteritis, etc. The control of flies can be achieved by using various types of Insecticides in operational methods ranging from residual sprays, space sprays and dusting. However, constant control can be achieved by eliminating their breeding places and by bringing an overall improvement in the environmental sanitation.

#### WEEKLY PROGRAMME OF ANTIFLY CONTROL IN 'S' WARD

DAY	AREA
MONDAY	Filterpada,Paspopli,Vihar Lake,Powai garden. Pawarwadi,IIT
	Road,Padmawati Road,Chaitanya nagar,Hari-Om nagar.
TUESDAY	Hanuman nagar,Pratap nagar,Maharashtra nagar,Quarry road,Janata
	market. Samarth nagar,Konkan nagar,Gadhav naka,Shivaji
	nagar,Tembhipada,Ganesh nagar.
WEDNESDAY	Bhandup Stn. Road (W), Tank road,Sarvodaya
	nagar,Bhattipada,Gaondevi road. Lake
	road,Tulshetpada,Khindipada,Sonapur,Durgah road.
THURSDAY	LBS Road,Dutt Mandir road,Usha nagar,Village road,Subhash nagar.
	Bhandup village (E), Friends colony, Kamalsagar soc.,Shivai
	school,Bhandup Stn. Road(E).
FRIDAY	Datar colony,Kanjur Village,Trolley Line,Nehru nagar,Kanjurmarg
	Station(E). Motibaiwadi,Mangatram petrol pump,S-Ward
	Office,Kanjurmarg Station (W),Karve nagar.
SATURDAY	Vikhroli Station(E),Hariyali Village,Ganesh Mandir road,Santoshimata
	nagar,Tagore nagar,Kannamwar nagar.

#### (E) Rodent and Flea Control:

Rats are a part of man's environment and because of its close association, they are not only hazard to health but also cause great damage to buildings, food and other commodities. Apart from its nuisance value, rat is responsible for diseases like Plague, Rat-bite fever, Salmonellosis (Food poisoning), etc. Mumbai has remained an active port since Historical times and hence is in constant danger of Plague epidemics. During the Plague threat of 1994 in Mumbai, this branch has played a very important role in preventing the probable entry of Plague incidence in Mumbai. The invention of anti-plague vaccine was done at the Municipal Rat Destruction Unit at G2 Chowly, P.B. marg, Lower Parle. Regular sampling of various Rat species for ascertaining the Index of the vector flea and dissection to assess the susceptibility to plague bacilli is carried out.

The common species of rats in Mumbai are:-

- 1) Rattus rattus :- Roof Rat
- 2) Rattus norvergicus:- Sewer Rat
- 3) Rattus wroughtoni :- House Rat
- 4) Bandicota bengalensis :- Field Rat
- 5) Bandicota indica & Bandicota Gegantia :- Field Rat
- 6) Mus musculus :- House Mouse
- 7) Suncus caeruleus :- Comman House shrew
- 8) Suncus murinus :- Shrew

The common methods of rat destruction are Physical and Chemical.

Additionally Night Rat Killing is an unique method of rat control used only in Mumbai.

#### RAT LABOUR BOUNDARY 'S WARD

<u>LABOUR 1</u>:- Bhandup (W) to Bhandup & Nahur (E). <u>LABOUR 2</u>:- Bhandup to Vikhroli West & East. <u>LABOUR 3</u>:- Bhandup to Paspoli Village Goregaon Boundary.

## Section 4(1) (b) (II)

#### Powers and Duties of Officers and Employees

#### Delegation of power to the Pest control Officer

	Α					
Sr. No.	Designation	Power – Financial	Under which legislation / rules / order / GRs.	Remarks		
1.	Pest Control Officer	Power to sign payment and adjustment vouchers against the previous sanction of the competent authorities to limit of Rs. 1000/-	MMC Act 1888, u/s 253, 274(1)(1A), 375A, 381, 381A, 381B, 483, 488,			

	B					
Sr. No.	Designation	Power – Administrative	Under which legislation / rules / order / GRs.	Remarks		
1.	Pest Control Officer	1. Power to grant casual leaves to subordinate staff and Labour staff accordance with the MSR on application from staff.	MMC Act 1888, u/s 253, 274(1)(1A), 375A, 381, 381A, 381B,			
		2. Powers to grant leaves including maternity and injury leave to the Labour staff in accordance to the MSRs on the subject.	483, 488,			
		<ol> <li>Power to sign unclaimed wages refund certificates of the staff working under him.</li> </ol>				
		<ul> <li>4. To authorize (1) employees to renew subscription to Provident Fund (Rule 16-d of provident fund (2) to grant advance (Rule 24) &amp; (3) to sanction refund of Municipal Contribution in ordinary cases and the recovery in respect of Municipal claims.</li> </ul>				

В

<u> </u>					
Sr. No.	Designation	Power – Magisterial	Under which legislation / rules / order / GRs.	Remarks	
		N.A.			

D

Sr. No.	Designation	Power – Quasi Judicial	Under which legislation / rules / order / GRs.	Remarks
		N.A.		

Е

Sr. No.	Designation	Power – Judicial	Under which legislation / rules / order / GRs.	Remarks
		N.A.		

Note I - Financial powers are likely to be revised.

II - Power to operate different activities in the SAP system is defined by

Jt. M.C. (Improvement)

		A		
Sr. No.	Designation	Duties – Financial	Under which legislation / rules / order / GRs.	Remarks
1.	Pest Control Officer	Nil		
2.	Clerk	Nil		
3.	Supervisory Junior Overseer	Nil		
4.	Junior Overseer	Nil		

#### В

Sr. No.	Designation	Duties – Administrative	Under which legislation / rules / order / GRs.	Remarks
1.	Pest Control Officer	1. To formulate the plan of work for the control of insect pests and to organize the work in the ward.	MMC Act 1888, u/s 253, 274(1)(1A), 375A, 381, 381A, 381B, 483, 488,	
		2. To direct and guide the staff under him in day to day work.		
		3. To keep the ward area under constant surveillance to know the sites of mosquito breeding and rat infestation to enable to take control measures.		
		4. To organize and execute rat control work in the ward according to seasonal variations in the pattern of work.		
		5.To organize and supervise antifly work; intensifying antifly campaign during monsoon months.		
		6.To organize and supervise insecticidal fogging work on the basis of the field inspections.		
		7.Monsoon actions, inspections, service of notices, accepting advances and rendering insecticide treatments for control of mosquitoes in private/commercial premises		
		during monsoon months/during the fair season on the basis of actual inspection. 8.To attend to disinfestations of		

Α

	1
premises in case of epidemic	
spread of diseases like plague,	
cholera, typhoid, polio, Diarrhea,	
etc.	
9.To survey and detect malaria	
vector species of mosquitoes in	
their larval and adult stages and to	
take adequate measures for their	
control.	
10.To organize and execute a focal	
indoor residual spraying in the	
locality as per specific orders from	
the Insecticide Officer.	
 11.Attending ward committee	
meetings, etc.	
12.To organize and execute indoor	
residual spraying according to the	
directive of NAMP.	
13.To participate in the filarial	
survey as and when required.	
 14.To procure and stock pesticides	
and spraying equipment and to	
effect control over the use of	
pesticides.	
15.Field observations and	
supervision of ensuring effective kill	
of pests with optimum dosages of	
 pesticides.	
16.Controlling ward stores.	
17.To attend to complaints from the	
public and to direct and instruct the	
staff for redressing their grievance	
through the Public redressal system	
 at Civic Facility Centre.	
18.To initiate statutory actions	
under the provision of B.M.C. Act	
and to do follow up work (attending	
courts in the contested matters).	
 19.To establish contract with the	
-	
officers of other Departments and to	
get the required work done from	
them for effecting source reduction	
of various pests.	
20.To maintain liaison with The	
Asst. Municipal Commissioner of	
•	
the ward for day to day functions	
 and performance.	
21. To attend to routine office work	
and correspondence.	
22. To shock and maintain associat	
22. To check and maintain account,	
22. To check and maintain account, books treatment memo of payment treatments and other registers.	

		23. To inspect and certify the mosquito proof condition of the newly installed cisterns as per 'P- Form' requirement and maintain proper record.	
		24. To supervise the working of staff under him and to take disciplinary action in consultation with zonal A.I.O., Dy. I.O. and I.O. for effecting proper working.	
2.	Clerk	1.To maintain seniority list of Labour / Sup. Staff	
		2. Issue of office orders, pertaining to Promotion / Reversion / Appointment	
		<ul> <li>3. Maintaining leave records of Lab.</li> <li>Staff where SR in Insecticide Office</li> <li>4. Preparing monthly pay rolls pf</li> </ul>	
		employee working in I.O.'s office 5. Submission of Scholarship record of the employees children every year.	
		6. Preparing P.F./ Pension claims of the superannuated ? Death cases of employees.	
		7. Put up the P.T. case of the Ex. Employee whose death occurred while in service.	
		8. Preparing Impress bill	
		9. Insecticide bill.	
		10. Preparing allocation and bills of the work pertain to Insecticide office.	
		11. Taking inventory of stock and maintaining stock register	
		12. Maintaining dead stock register	
		13. Maintaining Plant & Machinery register	
		14. Preparing bills for Insecticide treatment15. Preparing bills market	
		Insecticide treatment 16. Preparing bills BEST B.P.T.	
		treatment 17. Maintaining service record of	
		the employee working under Insecticide department	
		18. Maintaining leave/records	
		19. Certification / sanctioning leave	
		20. Preparing yearly /quarterly	

		report of the superannuated employee of Insecticide	
		department.	
		21. To observe the M.S.R. while grant of leave in the cases of Extra ordinary injury leave & Cancer and Infection disease.	
		22. To make entries of each &	
		every papers received in the office	
		23. To give the number serially and handed over to concerned authority	
		24 To maintain watch case register 25. To maintain M.C.L. A/B/C'	
		register	
		26. preparing the weekly abstract of	
		the receipt & disposal of the papers	
		27. Maintaining record of S.R. including R.P. F.P. given to the parties date month & year wise.	
		28. Maintaining register of cash	
		received under Right of Information Act 2005	
		29. To close the number and send the papers outward	
		30. To maintain postage register	
		31. To maintain RTI register.	
3.	Supervising Junior Overseer	1. <u>Muster</u> : To take the muster of entire labour staff of the ward twice a day i.e. in the morning and in the afternoon.	u/s 68, 483, 253, 274(1) (1A), 375A, 381,381A, 381B, 488
		2. <u>Labour arrangement</u> : To arrange daily labour distribution from available staff for the day, after taking into consideration the absenteeism.	
		<ul> <li>3.<u>Stores works</u> :</li> <li>a).Issue of insecticides and suitable equipments according to their daily program needs twice a day.</li> <li>b).To assist P.C.O. in procurement of supplies of insecticides and equipments in due time.</li> <li>c).To receive different items of consignment of insecticides from the transport contractors.</li> <li>d).To attend Sewree Oil Installation to receive Mosquito Larvicidal Oil.</li> <li>e).To maintain stores ledger in upto-date manner.</li> <li>f).To issue spray equipment and other implements to staff and to</li> </ul>	

		due sheeling		]
		due checking.		
		g).To arrange for repairs to		
		equipments and to maintain them in		
		good working condition.		
		h).To maintain Dead Stock Ledger		
		in up-to-date manner.		
		4. <u>Transport arrangement</u> : To		
		contract with garage, to arrange		
		substitute vehicle whenever		
		needed, ensuring regular vehicular		
		attendance.		
		5. <u>Office work</u> :		
		a).To supervise and ensure up-to-		
		date maintenance of all registers by		
		J.O.'s. of the ward.		
		b).To arrange attendance of Court		
		cases of the ward.		
		6. <u>Reports</u> :		
		1).To get the daily summary reports		
		filled in from the respective J.O. of		
		all sections.		
		2).To maintain register of malaria		
		cases focal spraying and to prepare		
		periodical reports under N.M.E.P.		
		and to put them up to P.C.O.		
		3).To prepare monthly performance		
		budget reports of all activities.		
		4).To gather and consolidate the		
		information and prepare various		
		periodical reports.		
		5).To supervise the office working		
		of J.O., D.S.I., F.S.I.		
		6).To organize routine work in		
		absence of P.C.O. of the ward.		
		7).To assist P.C.O. of the ward as		
		and when required as per his		
		directions and		
		8).To carry out any other		
		assignments as per direction from		
		P.C.O./A.I.O./Dy. I.O./I.O.		
		1. The J.O. has got an area which	u/s 253,	
4	Junior	is divided into six blocks and a	274(1)(1A),	
4.	Overseer	block is inspected daily so that he	375A, 381,	
		complete his round of the whole	381A, 381B,	
		area in one week for ground work	483, 488.	
		2. The section is divided in such a		
		way that the storage tanks on the		
		terraces and lofts of buildings are		
		•		
		inspected once in a six weeks. The		

<ul> <li>J.O. puts chalk mark on his date of inspection on the cisterns which should tally with the dates shown in the visit book, field book and crusade book.</li> <li>3. The J.O. treats all collections of water in such places as storm water entrances, choked gully traps, pits depressions, foreshore pools, wells and open channel drains which are</li> </ul>	
likely to breed mosquitoes, once every week. 4.He samples all Anopheles and Aedes breeding detected and forwards the same to the Laboratory for identification along with all relevant date such as nature of breeding places, etc.	
<ul> <li>5. Whenever to finds a drain line chocked and causing accumulation of sewage or sullage, he makes a reference to the drainage dept. Under intimation to I.O. on the usual printed Proforma.</li> <li>6. He makes out a reference to the</li> </ul>	
Water Inspector of the division concerned whenever he finds any leaking hydrants on the usual printed proforma under intimation to I.O. He also reports the cases of unauthorized water connections to the cisterns whenever detected in this inspection.	
7. On his inspection the records his findings on (i) N.M.P. cisterns (ii) N.M.P. wells (iii) O.C. drains (iv) Construction plots and Open Masonry tanks, and launches action under section 381. He also starts action under section 274, whenever a cistern or premises is found inaccessible.	
8. He takes instructions from P.C.O. on the technique and usage of the various formulations of insecticides, generally at an appointed time once every week and also as and when required.	
9. Under instructions from P.C.O. he attends to complaints and sees what suitable action is always taken to redress the grievances. After	

	having done, so he obtains a	
	certificate signed by the	
	complainant; to that effect in the	
	field book.	
	10. He reports to the P.C.O., Head	
	Office regarding compliance/non-	
	compliance of notices. He attends	
	court cases and prosecutions and	
	proceed with after conviction	
	actions whenever the requisition	
	are not complied with during the	
	first prosecution.	
	11. He inspects ornamental tanks,	
	fountains and retained open wells,	
	tries as many dips as necessary to	
	detect breeding and stock these	
	situations with larvivorous fishes	
	Gambusia and Guppy whenever	
	found necessary.	
	12. During and prior to the	
	monsoons, he notes down all	
	private premises where	
	depressions, pits, queries, and odd	
	containers are observed and starts	
	action under Section 381. He	
	induces the parties concerned to	
	deposit the required amount of	
	money for rendering insecticide	
	treatment on payment, so as to	
	arrests & destroy mosquito	
	breeding. In such cases where the	
	deposits are received in the Head	
	Office, he renders treatment to the	
	water collections and keeps a	
	record in the monsoon action	
	treatment register.	
	13. He maintains proper record of	
	the treatment rendered amount of	
	deposit used and puts up refund	
	memo at the end of monsoon.	
	14. He maintains an account of	
	quantity of insecticides used daily.	
	15. He serves notices, summonses	
	and memos received for service	
	from other wards, and reports	
	compliance within a reasonable	
	•	
	period.	
	16. He Executes warrant with the	
	help of police.	
	17. He maintains a field book of the	
	work done in the field.	
	18. He carries out any other work	
	that he may be called upon to	

		perform by his superiors in	
		connection with his duties.	
5.	Junior Overseer (Rat)	1. To get himself apprised of rodent infestation of various localities	u/s 253, 274(1)(1A), 375A, 381, 381A, 381B, 483, 488.
		2. To prepare program of rodent control work in accordance with the policies and guidelines set by the Asstt. Insecticide Officer.	
		<ol> <li>To supervise the working of labourers, Superior Field Workers and Field Workers.</li> <li>To keep record of the work done</li> </ol>	
		and to submit periodical reports. 5. To attend to complaints of rat	
		<ul><li>nuisance and to take suitable action</li><li>for redressing of grievances.</li><li>6. To maintain dead stock and</li></ul>	
		rodenticide registers up-to-date. 7. To keep control over the	
		<ul><li>consumption of rodenticide.</li><li>8. To maintain equipment in perfect working order.</li></ul>	
6.	Fogging sub- Inspectors	1. To draw advance program of fogging operations so as to cover all the wards during the month, special attention being paid to	
		areas infested. 2. To attend to complaints asking for fogging operations as directed.	
		3. To communicate intimation of fogging, by P.C.O., program to various Councilors concerned.	
		4. To maintain accounts of Insecticides received by him and consumed in fogging operations.	
		<ul><li>5. To supervise the fogging operations and watch for results.</li><li>6. To undertake fogging inside the</li></ul>	
		premises on payment of schedule fees.	
		7. Whenever any odd services are necessary, F.S.I. is required to arrange for fogging even at night time.	
		<ul><li>8. To prepare varied formulations for fogging.</li><li>9. To keep a check over his staff</li></ul>	
		and report any irregularities if and when noticed to P.C.O.	

		10. To arrange to maintain the fogging equipment and see that they are kept ready in order for the	
		operation any time.	
7.	Dis- infestation sub- inspectors	1. To keep the record of potential fly breeding places such as dustbins, refuse dumps, municipal/private markets slums, and to arrange anti fly spraying according to program and instructions received from the Pest Control Officer.	488
		2. To keep daily record of the Insecticide consumed.	
		<ul> <li>3. To arrange disinfection of premises from where cases of fly borne diseases are reported.</li> <li>4. To attend to complaints of insect nuisance received from citizens in his best.</li> </ul>	
		5. To render Pest Control treatment to private premises under Pest Control Officer's instructions and to prepare and forward bills for signature to Insecticide Officer.	
		6. To render Insecticide treatments to places in respect of which deposits have been received and to keep proper record of such treatments.	
		7. To carry out decockroaching work by opening inspection chambers and manholes of sewer systems.	
8.	Superior Field Worker	1. To supervise the removal of aquatic vegetable from water ponds, low-lying lands, etc.	
		<ul> <li>2. To supervise channelization of Nallahs &amp; water courses to avoid breeding of mosquitoes.</li> <li>3. To supervise treatment of</li> </ul>	
		<ul><li>Marchine and a supervise difference of the supervi</li></ul>	
		Survey as and when arranged (Applicable to Superior Field Workers only).	
		5. To keep records of the insecticide consumed, work done, etc.	
		6. To attend to any other work connected with mosquito/Filaria control program.	
9.	Superior Field Worker	1. To supervise treatment of fly infested sites such as Markets,	488

	(Antifly)	Dumping grounds, Dustbins,	
		Refuse vehicles, Refuse wages,	
		Motor loading spots, etc.	
		2. To maintain records of work done	
		and insecticide consumed.	
		3. To attend to any other work	
		connected with anti-fly measures.	
	Superior		
10.	Field Worker (Rodent Control)	1. To supervise & setting of 30 nos. of Rat traps /Labour.	488
		2. To supervise checking of 'set rat traps'	
		3. To supervise collection of Rats	
		from set rat traps and their disposal.	
		4. To supervise poison baiting according to direction given by the	
		supervisors.	
		5. To maintain records of equipments, pesticides, rodenticides and field operations.	
		6. To attend to any other work	
		connection with the Rodent Control	
		Program.	
	Rat	1. Setting of 30 number of Rat traps	
11.	Labourers	daily.	488
		2. To guide the aggrieved citizens	
		about domestic setting of rat traps.	
		3. Checking of set Rat Traps.	
		4. Collection of Rats from set Rat	
		Traps.	
		5. Poison baiting of 200 rat	
		burrows, according to direction	
		given by superiors.	
		6. Any other work connected with	
		the rodent control program.	
		7. To carry out mass trapping and complaint trapping as per need of situation.	
		8. To collect trapped live rats and	
		kill those by immersing in water at ward store.	
		9. To carry dead/live rats at Haffkine Institute at M.R.D.E. Parel.	
12.	Night Rat Killers (NRK)	1. Clubbing and killing of rats during night hours with the help of club and torch by moving in areas of high outdoor rat infestation.	488
		2. Club and kill 30 numbers of specified outdoor species of rodents daily.	
		3.To produce 30 number of freshly	
		1 3.10 produce 30 number of freshly	

		clubbed and killed rats at the	
		mustering chowky of Pest Control	
		Officer in the appointed ward.	
		4.To compensate the shortfall if any	
		within 3 working days.	
		5.To carryout night rat killing	
		operation as per the operations of	
		Superiors in the appointed area.	
		6.To demonstrate night rat killing	
		methods to new recruits or trainees	
		as required and Press Media if	
		official permission is obtained.	
		1. To assist the senior officers	
		J.O's, DSI's etc. for detection of	
		mosquito larvae from suspected	
13.	Malaria	breeding places such as water	488
13.	Labourers	collection in ditches, cisterns,	400
		ponds, wells, fountains etc., and do	
		the work as per there order from	
		time to time.	
	1	2. As per senior officers J.O.'s or	
		DSI's instructions to make the	
		arrangement of separate ladder	
		(which is kept some where there)	
		where permanent iron ladder is not	
		available for the inspection of	
		cisterns, cesspool manhole etc.	
		3. To carry the bucket & the kit bag	
		containing pump, essential	
		materials & Insecticide solutions all	
		the time while accompanying the	
		senior officers, J.O.'s or DSI's.	
		4. To properly spray the Insecticide	
		solutions on permanent or	
		suspected mosquito & fly breeding	
		places as instructed by the	
		superiors.	
		5.To apply necessary Insecticide	
		treatment (if required) by opening	
		the lids of manhole, cesspool or	
		septic tank for the detection of the	
		breeding places of mosquitoes and	
		flies and there prevention.	
		6. Keeping clean the drains &	
		nearby areas by uprooting the	
		bushes in the vicinity because	
		these drains and nearby dirty areas	
		may be the suspected breeding	
		places for mosquitoes, flies etc.	
	1	7. To render Insecticide treatment	
		in drains with the help of material	
		available for destroying the	
		breeding places of mosquitoes etc.	
		I stooding places of mosquitoes etc.	

	1
and stopping the recurrence of the	
same. To fill-up the ditches in the	
drains with earth to avoid the	
clogging of water and to maintain	
continuous flow of the drainage	
water. Canalizations / creation of	
Nallas wherever required.	
8. To render effective Insecticide	
spraying treatment using stirrup	
pump, power sprayer, knapsack	
sprayer and syringes at the existing	
or suspected breeding places of	
mosquitoes & flies. This can be	
done either alone or someone's	
assistance if possible.	
•	
9. To spray the MLO on the	
stagnant water surfaces, if required,	
with the help of the bucket, mop,	
cotton ball etc.	
10. To prepare any Insecticide	
solution in the office or in the	
section & to bring the water for the	
preparation of the same & to do the	
insecticide spraying as per the	
orders of the superiors.	
11. To load & unload materials &	
other things required in the day to	
day work provided from one ward to	
other ward and vice versa as per	
the orders.	
12. To carry out any preventive	
measure or work assigned in the	
B.M.C. limits for the destruction or	
control of mosquitoes or other	
insects.	
1136013.	

#### С

Sr. No.	Designation	Duties – Magisterial	Under which legislation / rules / order / GRs	
		N.A.		

#### D

Sr. No.	Designation	Duties - Quasi Judicial	Under which legislation / rules / order / GRs	
		N.A.		

Sr. No.	Designation	Duties – Judicial	Under which legislation / rules / order / GRs	
		N.A.		

### Section 4(1) (b) (III)

#### **PROCEDURE FOLLOWED IN DECISION MAKING PROCESS**

1. What is the procedure followed to take a decision for various matters? (Reference to secretarial, manual, and rule of business manual, and the other rules / regulations etc. can be made )

- Procedure is followed as per delegation of power to responsible officer with a reference to the matter and guidelines, various circulars, Corporation Resolutions, Bombay Municipal Corporation ( Service Regulations 1989) & BMC Act 1888 are referred for taking decision.

2. What are the documented procedures / laid down procedure / defined criteria / rules to arrive at particular decision for important matters? What are different level through which a decision process moves ?

#### - As per BMC (Service) Regulations 1989 & BMC Act 1888

3. What are the arrangement to communicate the decision to public?

- If related to public, communicated by Postal Agency.

4. Who are the officers at various levels whose opinions are sought for the process of decision making?

#### – Head of the department.


- 5. Who is the final authority that rests the decision?
- Municipal Commissioner / Standing Committee / Corporation depending Upon the matter.

Sr. no.	Activity	Steps Involved	Time Limit	Authority role and responsibility of the employee/ officer in connection with each activity. (mention designation)	Remarks
	Vector	Scrutiny of	Fifteen days		
	Control &	Application	for all		
	Granting	, Site	applications		
	NOC's	Report,	from the		
	and	Proposal,	date of		
	Permissio	Approval.	submission		
	n for all		of valid		
	water		application		
	bodies		along with		
			required		
			documents.		

The Procedure followed in the decision making process including channels of supervision and accountability.

Process for proposal and channel of supervision

#### Ward Level:



## Section 4(1) (b) (iv)

#### NORMS SET BY IT FOR THE DISCHARGE OF ITS FUNCTIONS.

Sr. No.	Designation	Activity	Units to be covered	Financial Targets in Rs.	Time Limit	Remarks
1.	Pest Control Officer	As mentioned in Section 4 (1) (b) (iii)		There are no financial targets set for this department. As mentioned earlier the work is carried out on day to day basis.	Time limit for each activity is as mentioned in Section 4 (1) (b) (iii)	
2.	Supervising J.O.			NA		
3.	J.O. (Vector Control			NA		
4.	J.O. (Rat)			NA		
5.	F.S.I.			NA		
6.	D.S.I.			NA		
7.	S.F.W.			NA		

## Section 4(1) (b) (v)

Rules, Regulations, Instructions, Manual and Records, for discharging functions.

Sr. No.	Subject	G.R./Circular/Office order. Rule no. notification etc. date.	Remarks if any
1.	Circulars	Various Circular issued time to time.	

BMC Act Indian Insecticide Act 1968 Indian Epidemic Act WHOPES NCVBDC and TAC

## Section 4(1) (b) (vi)

# A statement of the categories of the documents that are held by it or under its control.

Statement of Categories of documents held in the office of Pest Control Officer, 'S' ward.

Sr. No.	Subject	Particulars	Proposed Periodicity of preservation
1.	Insecticide Register	Details of Insecticide received by department	1 Year
2.	Dead Stock Register	Details of Dead Stock received by department	Permanent
3.	Packing Material Register	Details of Material received by department	Permanent
4.	Machinery Register	Details of Machinery received by department	Permanent
5.	Notice 'A' Register	Details of A form Notices issued by department	1 Year
6.	Notice 'B' Register	Details of B form Notices issued by department	1 Year
7.	Complaint Register	Details of Complaint received by department	1 Year
8.	Mosquito Breeding Register: Anopheles Breeding Register Aedes Breeding Register Culex Breeding Register	Details of Mosquito Breeding detected by Staff	1 Year
9.	Well Register	Details of all types of Wells in the ward	Permanent
10.	Tube Well Register	Details of all Tube Wells in the ward	Permanent
11.	Court Register Summons Register(Optional) Warrant Register(Optional) Conviction Register(Optional)	Details of all types of Court Cases in the Ward	Permanent
12.	Malaria Positive Case Register Space Sray Register Residual Spray Register Crusade Register	Details of IRS	1 Year
13.	Vechicle Attendance Register		1 Year
14.	Reference To Asst.Com./C.O.		1 Year
15.	Bill Cum Receipt Book		Permanent

16.	Antifly Work Register	1 Year
17.	FSI's Fuel Register	Permanent
18.	Space Spray Register	1 Year
19.	Daily Rat Collection	1 Year
	Register	
20.	Rat Complaint Register	1 Year
21.	Rodent Control Activity	1 Year
	Register	
22.	Treatment Register	1 Year
23.	Visit Book Cum Issue	1 Year
	Register	
24.	Bldg. Construction	1 Year
	Register	
25.	Watch Case Register	1 Year
26.	Swimming Pool Register	Permanent
	(Optional)	
27.	Cooling Tower	Permanent
	Register(Optional)	
29.	Bill Book Register	1 Year
30.	I.O.D Register	1 Year
31.	Workshop Register	1 Year
	(Optional)	
32.	Aedes Survey Register	1 Year
33.	Dengue Cases Register	1 Year
34.	Leptospirosis Case	1 Year
05	Register	
35.	Fogging Activity Register	1 Year
36.	Fountain Register	Permanent
37.	Muster	Permanent
<u>38.</u> 39.	Inward Register	Permanent
<u> </u>	Outward Register Order File	Permanent
40.	Staff Address Register	Permanent Permanent
41.	Impress Account Book	1 Year
42.		1 Year
<u>43.</u> 44.	Postage Register Stationary Register	1 Year
44.	Clothing Register	1 Year
46.	Unpaid Claim Register	2 Year
40.	L.T.A Register	Permanent
48.	Audit Note Register	Permanent
49.	P.F Advance Register	2 Year
50.	Pension Claim Register	Permanent
51.	Electricity Telephone	1 Year
5	Charges Register	
	(Optional)	
52.	Income Tax Register	1 Year
53.	Bill Register	1 Year
54.	Earned Leave And Cl	Permanent
÷.,	Register.	
55.	CFC Challan File	1 Year
56.	Task file	1 Year
57.	Complaint file	1 Year

58.	Important complaint file	1 Year	
59.	Important report file	1 Year	
60.	Office copy file	Permanent	
61.	Monthly report file	1 Year	
62.	Yearly report file	1 Year	
63.	Action papers file	1 Year	
64.	Well / tube well papers file	Permanent	
65.	I.O.D papers file	1 Year	
66.	Well reports file	Permanent	
67.	Mun. properties reports file	Permanent	
68.	Govt. properties reports	Permanent	
	file		
69.	Circular file	Permanent	
70.	Imp circular file	Permanent	
71.	Minutes file	Permanent	
72.	Dengue cases file	1 Year	
73.	Leptospirosis case file	1 Year	
74.	Fogging machine repair	1 Year	
	file(OPTIONAL)		
75.	Fountain paper file	Permanent	

## Section 4(1) (b) (vii)

THE PARTICULARS OF ANY ARRANGEMENT THAT EXISTS FOR CONSULTATION WITH OR REPRESENTATION BY THE MEMBERS OF THE PUBLIC IN RELATION TO THE FORMULATION OF ITS POLICY OR ADMINISTRATION THEREOF

Formulation of Policy

Sr. No.	Subject / Topic	Is it mandatory to ensure public participation (Yes/No)	Arrangement for seeking public participation.
	The policy decisions on various important subjects / Topics are taken by Higher authorities of Corporation	Yes	<ol> <li>Corporation</li> <li>Standing Committee</li> <li>Public Health Committee</li> <li>Law &amp; revenue Committee</li> <li>Prabhag Committee</li> </ol>

#### Implementation of Policy

Sr. No.	Subject / Topic	Is it mandatory to ensure public participation (Yes/No)	Arrangement for seeking public participation.
	Implementation is carried out after getting sanction of the competent authorities	Yes	<ol> <li>Corporation</li> <li>Standing Committee</li> <li>Public Health Committee</li> <li>Law &amp; revenue Committee</li> <li>Prabhag Committee</li> </ol>

#### Section 4(1) (b) (viii)

#### A STATEMENT OF BOARDS, COUNCIL, COMMITTEES AND OTHER BODIES CONSTITUTED AS ITS PART.

#### Types of Committees/Boards

- 1. Grievance Committees
- 2. Promotion Committees
- 3. Committees formed for granting continuation to the employees beyond age of 55 years.
- 4. Municipal Medical Staff Selection Board

#### **Composition of Committee**

#### **Grievance Committees (for Staff)**

- 1. Head of the Department Executive Health Officer
- 2. Concerned Deputy Executive Health Officer/Assistant Health Officer
- 3. Joint Ch. P.O. (Health)
- 4. Labour Officer
- 5. Administrative Officer / Officer Supdt.
- 6. Representatives of the concerned units.

#### Promotion Committees (For the posts - Insecticide Officer to Junior Overseer)

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Personal Officer
- 4. Joint Ch. P.O.( B.C. Cell)

#### Promotion Committees (For the posts – Other than superior staff)

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Personal Officer
- 4. Joint Ch. P.O.( B.C. Cell)

# Continuation beyond age of 55 Years (For the posts - Insecticide Officer to Junior Overseer)

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Administrative Officer (Hospital)

#### Continuation beyond age of 55 Years (For the posts – Other than superior staff)

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Personal Officer
- 4. Joint Ch. P.O.( B.C. Cell)

#### Municipal Medical Staff Selection Board

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Medical Superintendent (Peripheral Hospital)
  - 4. Deputy Executive Health Officer (Head Quarter)

# Directory of Officers & their Pay Grades

# DIRECTORY OF OFFICERS

Sr. No.	Name of the Employee	Designation	Date of Appointment	Telephone No.	Place of Working
1	Shri. B. R. Bhansi	P.C.O.	01.08.2009	69364000 EXT:- 304 / 305	'S' ward
2	Smt. Minal H. Belawale	Executive Assistant	23.01.2019	69364000 EXT:-305	'S' ward
3	Vacant	Sup. J.O.	06.12.1990	Same as above	'S' ward
4	Shri. Jagdish M. Sonje	J.O.	08.10.2008	Same as above	'S' ward
5	Vacant	J.O.		Same as above	'S' ward
6	Shri. Ganpat B. Talpade	J.O.	04.11.1995	Same as above	'S' ward
7	Shri. Mahesh A. Kabadi	J.O.	06.10.2008	Same as above	'S' ward
8	Shri. Vinayak G. Salvi	J.O.	30.03.1993	Same as above	'S' ward
9	Shri. Aanant J. Shelke	J.O.	26.08.1992	Same as above	'S' ward
10	Shri. Subhash S. Parulekar	J.O. (Rat)	07.10.2008	Same as above	'S' ward
11	Vacant	F.S.I.		Same as above	'S' ward
12	Shri. Pran K. Mokal	D.S.I	17.03.2006	Same as above	'S' ward
13	Vacant	S.F.W.		Same as above	'S' ward

Section 4(1) (b) (ix)

# Section 4(1) (b) (x)

# **Officers Pay Grades**

DESIGNATION	DESIGNATION CODE	GRADE CODE	Pay Sca	le
P.C.O.	B 271	B 28	47600 - 151100	M-22
Clerk	C 034	C 27	18000 - 56900	M-13
Sup. J.O.	C 444	C 19	28300 - 89400	M-13
J.O.	C 436	C 31	25500 - 81100	M-13
J.O. (Rat)	C 438	C 31	25500 - 81100	M-13
F.S.I.	C 547	C 37	21700 - 69100	M-12
D.S.I.	C 612	C 49	20700 - 65800	M-11
SFW	D 416	D 23	20700 - 65800	M-10
Labour (Qualified)	D 114	D 25	18000 - 56900	M-9
Labour (Non Qualified)	D 114	D 25	15000 - 47600	M-1

# Section 4(1) (b) (xi)

# THE BUDGET ALLOCATED TO EACH AGENCY (PARTICULARS OF ALL PLANS, PROPOSED EXPENDITURE AND REPORTS ON DISBURSEMENT MADE)

# Budget for Current Year 2024-25

Funds	Consumable				
Center/Commitment Item	Budget	Consumed Budget	Available Amount	Current Budget	Commitment
FdsCtr/CmmtItem	13,598,870.20	115,888,024.71	102,289,154.51	13,598,870.20	109,281,372.57
140110700 Renewal Charges	2,50,000.00	2,59,800.00	9,800.00	2,50,000.00	2,59,800.00
140200100 Penalties	2,00,000.00	4,500.00	1,95,500.00	2,00,000.00	1,28,050.00
140402600 Scrutiny					
fess		1,960.00	1,960.00		1,960.00
140804000 Fountain Permission charges	3,10,000.00	2,94,400.00	2,80,600.00	3,10,000.00	2,09,400.00
40804100 New building insecticide treatment	7,00,00,000.00	15,17,79,466.00	8,17,79,466.00	7,00,00,000.00	15,20,99,854.00
140805301 Legal and Stationery Charges - Taxable	1,00,000.00		1,00,000.00	1,00,000.00	12,121.80
140805302 Legal and Stationery Charges - Reg. Person	5,00,000.00	12,121.80	37,878.20	50,000.00	
150110300 Sale of Tender form		3,88,100.00	3,88,100.00		38,00,100.00
180400000 Recovery frm Emplys.	10,000.00	14,290.00	4,290.00	10,000.00	14,290.00
180400200 Fine	10,000.00	4,313.09	5,686.91	10,000.00	4,313.09
21010101 Basic Pay	40,75,000.00	19,59,374.00	21,15,625.00	40,75,000.00	19,59,374.00
21010102 Incentive Bonus	2,34,000.00		2,34,000.00	2,34,000.00	
210100201 Basic Pay	1,25,11,129.80	95,91,855.17	29,19,274.00	1,25,11,129.80	95,91,855.17
210100202 Incentive Bonus	12,48,000.00	4,833.00	1,23,167.00	12,48,000.00	4,833.00
210200101 Dearness Allowance	22,82,000.00	9,78,212.12	13,03,787.88	22,82,000.00	97,82,212.12
210200102 House Rent Allowance	12,23,000.00	5,29,031.03	6,93,968.97	12,23,000.00	529,031.03
210200102 Conveyance Allowance	40,000.00	16,239.80	23,760.20	40,000.00	1,62,239.80
210200105 Leave Travel Assistance	1,43,000.00	63,750.00	79,250.00	1,43,000.00	63,750.00
210200213 Transport Allowances For Labour	15,56,000.00	7,75,134.66	7,80,865.34	15,56,000.00	7,75,134.66
210200218 Family Planning Allowance- Labour	25,000.00		25,000.00	25,000.00	
210200218 Children Education Allowance- lab	10,21,000.00		10,21,000.00	10,21,000.00	
210200299 Other Allowances	4,09,000.00	1,05,784.81	3,03,215.19	4,09,000.00	1,05,784.81
210209913 Uniforms	50,000.00		50,000.00	50,000.00	
210209915 Contrbn- meeting Int subsidy at 4% toward	2,00,000.00	44,550.00	155450.00	2,00,000.00	44,550.00
210501224 Reim Prem of HealthInsur Policy BMC Emp	8,55,000.00	3,70,231.00	4,84,769.00	855000.00	3,70,231.00
Funds Center/Commitment Item	Consumable Budget	Consumed Budget	Available Amount	Current Budget	Commitment

220119900 Other Office	2,000.00		2,000.00	2,000.00	
Contingent Expenses	2,000.00		2,000.00	2,000.00	
220120102 Mobile Phone Expenses	9,000.00	7,181.00	1,819.00	90,000	7,181.00
220210400 Stationery	6,000.00	5,841.00	159.00	6,000.00	5,841.00
220210500 Consumables	1,000.00		1,000.00	1,000.00	
220210600 Photocopying expenses	10,000.00	2,009.00	7,991.00	10,000.00	2,009.00
220300200 Conveyance	4,000.00		4,000.00	4,000.00	
220800400 Outside Services Employment Expenses	1,65,10,000.00	1,45,66,281.53	19,43,718.47	1,65,10,000.00	1,45,66,281.53
230350001 Accessories	10,000.00	2,386.00	7,614.00	10,000.00	2,386.00
230350005 Chemical & fertilisers					
230350006 Clothing & Linen	20,000.00		20,000.00	20,000.00	
230350007 Diet & food					
230350009 Fuel (Liquid / Gas					
230350010 Material	5,000.00		5,000.00	5,000.00	
230350012 Other store	10,000.00	7,135.00	2,865.00	10,000.00	7,135.00
230350014 Spares & Tools	10,000.00	1,558.00	8,442.00	10,000.00	1,558.00

THE MANNER OF EXECUTION OF SUBSIDY PROGRAMMES INCULDING AMOUNTS ALLOCATED AND DETAILS OF BENEFICIARIES OF SUCH PROGRAMMES

# NOT APPLICABLE Section 4(1) (b) (xiii)

# PARTICULARS OF RECIPIENTS OF CONCESSIONS, PERMITS OR AUTHORIZATION GRANTED BY IT. Technical Norms of granting permission of different water bodies Notice and requisitions

# BRIHANMUMBAI MAHANAGARPALIKA PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

# CONDITIONS /SPECIFICATIONS GOVERNING PERMISSION TO WATER STORAGE TANKS (CISTERNS)

REFERENCE; - SECTIONS 274, 274(A) &381(A) OF THE M.M.C. ACT.

# The body of the tank:

- 1. The cisterns should be made of wrought iron, mild steel, R.C.C. or any other material sufficiently thick and strong to withstand the Wight of an average and when he stands the top of the tank.
- 2. The side sheet, the bottom sheet and the top sheet should be properly bolted or welded to leave no gaps or crevices at any point.
- 3. The top sheet of the tank should be propped by the permanent fixtures from the inside to prevent sagging. There should be no depression on the top sheet which is likely to hold or retain water.
- 4. The cylindrical tank should not be more than 2.25 mm in height including the height of the foundation on which it may be rest.
- 5. The cylindrical tank more than height should be installed horizontally or proper foundation.

# The Manhole and the cover assembly.

The manhole cover should be fitted on the masonry elevation at least 12cm above the level of the top slab with it's collar rim grouted in the elevation with vertical bolts.

- 1. There should be a circular manholes on the top sheet and cast iron rim with collar should be firmly fixed on it.
- 2. The rim with collar should be cast in one place.
- 3. There should be no gap between the top sheet and collar. if gaps exist they should be caulked with lead wool or molten lead or any material approved by the certifying authority.
- 4. The manhole should have a properly fitting cap cover of the cast iron cast in one place.
- 5. The vertical edge of the cap cover should rest on the collar around the manhole with the rim of the latter toughing the inside of the cap cover to afford a double resting arrangement.
- 6. In case of masonry cisterns, the manhole collar ring should be visibly above the top laval of the cisterns.
- 7. The cross bar of the cap cover should be short so that the hinge and the hasp is as close to the lid as possible to ensure proper closing of the lid.
- 8. The lid of the cisterns should always be reverted.
- 9. If the cistern is more than 3mm long an additional manhole cover should be provided to facilitate sampling at all corners with a sampling device of 1.5 mm length.
- 10. The feeding, overflow (warning) and take pipes should be provided with check nuts from inside and outside to prevent formation of gaps and to avoid leakage.
- 11. The overflow pipe should be protected at its free and by a perforated copper or brass plate, and the perforated plate should be within the hand reach to facilitate inspection.

# The access.

- 1. All cisterns with height more than 1.2 should be provided with a fixed sturdy iron ladder.
- 2. The upper end of the ladder should be formerly fixed to the top sheet. They should be provide with side supports.

- 3. The iron ladder exceeding 2.5m.m.in height should be provided with side supports.
- 4. The ladder exceeding 8m in height should be provided with hand rails on both sides.
- 5. If access to the terrace is by means of a wooden staircase, if should not remain open and exposed to the sun and rain.
- 6. If the cistern is under some cover or shelter, there should be sufficient space between the cistern and the roof to enable easy inspection and sampling.
- 7. In the case of overhead water storage tank, sturdy and safe iron or R.C.C. platforms should be provided at suitable intervals, instead of straight ladder from bottom to the top.

# The Suction Tank:

- 1. The top of the tank should be raised above the surrounding ground level by a minimum of 45 cm. If the depth of the suction tank is more than 8 feet then there should be provision of safe, easy and permanent mean of access (without obstructing the proper closure of the lid cover) from top slab of the tank to the bottom of the tank
- 2. The pump room should invariably be connected the house drains by means of a gully trap. The pump foundation hollows should be filled in to the top circumference.

# **SPECIAL REQURIMENT:-**

- 1. Horizontally installed cylindrical tanks should have a rectangular platform serving as the resting surface for cover assembly. The platform should be specious to accommodate fixing of a ladder.
- 2. Vertically installed cylindrical tanks with convex top should have an appropriate railing along the top of circumstance.
- 3. The manhole size and the cover assembly components should be of standard dimensions and easily available in the local market.
- 4. H.D.P.E. tanks should be so fabricated as to avoid any degree of sagging of the top after fixing of a cover assembly or on climbing over it during the inspection
- 5. The distance between the adjacent manhole cover and between any manhole cover and the side wall of the suction tank should not exceed 5feet.

# Tanks

Sub: Issue and Renewal of 'NOC'/Approval for

A) Brand and model of water storage tanks already approved by the H.E. (as far as material and design is concerned); with respect to mosquito proofing and mean of access for inspection

Capacity upto & Height up to

B) Lid covers with respect to design and material from mosquito proofing point of view.

Dy. H.E. (Maint.)

M/s. have applied for 'NOC/Approval Renewal of 'NOC/Approval for their brand water storage tanks and submitted necessary undertaking on Rs. 500/- stamp paper vide letter dated \_\_\_\_\_.

As far as this department is concerned, Renewal of 'NOC'/Approval is hereby given for the period of \_\_\_\_\_Months from the date of expiry i.e. up to \_\_\_\_\_ for \_\_\_\_\_ brand water storage tanks, subject to fulfillment of following conditions of this department by the party.

- brand water storage tank will be sold or installed in the Greater 1) No. Mumbai limits without complying each of the conditions specified in the 'Condition Memo' i.e. Item No. 1 to 29 of Insecticide Branch of BRIHANMUMBAI MUNICIPAL CORPORATION (Copy of Condition/specification memo attached herewith).
- 2) The capacity of the tank will not exceed \_\_\_\_\_Ltrs.
  3) The height of the tank will not exceed \_\_\_\_\_\_ as shown in the brochure/drawings (submitted by the party vide letter dt. ).
- 4) No. \_\_\_\_\_ brand water storage tanks of capacity more than Ltrs. and height more than \_\_\_\_\_ will be marketed or installed in the limits of B.M.C. without prior approval of Insecticide Officer and Dy. H.E. (Maint.) of B.M.C.
- 5) As required by B.M.C., the manhole cover will be of cast Iron circular with double resting and locking arrangement as per the memo of conditions. The cross bar shall be fitted to the cap cover with study nuts and bolts and not by screws. The ring shall be fitted on the top of the tank with heavy duty nuts and bolts will be of the standard pattern approved by the collar ring, the lid cover and the cross bar fitted to the lid hinges of one end and the purpose of lock of the another and without leave any which is man these so as to render the entire arrangement perfectly mosquito proof.
- 6) As required by B.M.C., we manufacturer will provided a sturdy, safe from ladder with the tank with holder grips to the top ends. The top ends of the ladder will be firmly fixed by means of nuts and bolts and the bottom end will be fixed on the cement block.
- 7) All dealers/distributors and sub agents will also comply with the conditions as mentioned above at the time of every sale and installation being made by them in the limits of B.M.C.
- 8) Before marketing of tanks NOC/Permission from the hydraulic Engineer of B.M.C. in connection with the above tank shall be obtained.

- 9) No change in the tank in connection with the manhole cover assembly, ladder arrangement, upper surface of the tank, height etc. shall be made without prior permission of the Insecticide Officer and Dy. Hydraulic Engineer (Maint.) of B.M.C.
- 10) Where the height of the tank is more than 246 cms (in case of higher capacity tanks approved by I.O.), a protective railing should by provided around the top of the tank for easy access and safety inspection.
- 11)Any other condition that may communicated by the Insecticide Officer will be complied with as and when required.
- 12)On expiry of the NOC/Approval, the same will be got renewed from the Insecticide Officer within the period of 1 month from the date of expiry.
- 13)If any of the above conditions and condition No.1 to 29 of condition/specification memo of Insecticide Branch is found to be flouted, the NOC/Approval or renewal of NOC/Approval shall be summarily revoked by Insecticide Officer.

Yours faithfully,

Insecticide Officer

# Encl: Condition/Specification Memo

Note: The NOC / Approval is conveyed to H.E. and copy of the same is served / sent to the applicant.

Section 4(1) (b) (XIII) Contd..

# BRIHANMUMBAI MUNICIPAL CORPORATION PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

Primary School Ward Office Bldg., 2<sup>nd</sup> Floor, Gilder Tank Maidan, Dr.Dadasaheb Bhadkamkar Marg,Grant Road (East), Mumbai – 400 007 No.: IO /3649/SR Date :06.04.2016

# **CIRCULAR**

Sub: Permissions & NOC's under Ease of doing business Ref : 1) MGC/A/6356 dt.29.02.2016 (Page No. 20 to 23)

2) HE/16/Cir. dt.19.01.2016 (Page No. 24 to 25)

3) IO/3436/SR dt. 01.03.2016 (Page No. 26 to 31)

4) IO/3499/SR dt.11.03.2016 (Page No. 32 to 48)

# Pest Control Officer A to T wards

In continuation of the above referred circular at Sr.No.4), the formats for the undertakings on Rs.500/- stamp paper for granting permissions to Bore/Tube wells, Ring Wells & use of water from existing HCC (Surface) wells & the formats of 'Self Declaration' from applicant in case of 'Deemed NOC's' for Swimming pools, Water Storage Tanks, Cooling Towers & Jacuzzis are attached herewith.

Pest Control Officer's are hereby instructed to attach the copies of the formats of undertakings for permissions to Bore/Tube wells, Ring wells & use of water from HCC (Surface) wells while sending letter to applicant as per the Format attached herewith. In case, only when the title of the property is not clear, format of Indemnity Bond attached herewith should be taken from the applicant as 'D' on the same stamp paper. All other conditions as per circular no. HE/16/Cir.dt. 19.01.2016 should be followed in toto.

For oral & written requests for NOC's to Swimming Pools, Water Storage Tanks, Cooling Towers and Jacuzzi's, the formats of 'Self Declaration' only to be obtained from the citizens. Action U/s 381 to be initiated in case defects are observed after self declaration formats have ben submitted by the owner/ user.

In case the said swimming pools, water storage tanks, cooling towers & jacuzzi's are not previously issued NOC or the owner/ user has not submitted the self declaration format, action U/s 381A may be initiated.

This circular supercedes circular issued u/no. IO/3436/SR dt. 01.03.2016 referred here in above at Sr.No.3.

These modified conditions & ciruclar will be effective immediately.

**Insecticide Officer** 

Copy to : Dy.I.Os. (City / E.S. / W.S.), A.I.O. ( Z- I to Z-VII )

# BRIHANMUMBAI MUNICIPAL CORPORATION PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

5th Floor, Hawkers Plaza, Janta Market Building, Senapati Bapat Marg, Dadar(W), Mumbai - 400 028.

No.: HO / 363 / IO / SR Date: 03 / 07 / 2023

### CIRCULAR

Sub: Scrutiny of the contents of Undertaking & Indemnity Bond for the proposals received for permissions to Bore wells, Ring wells and use of well water from Existing Surface Wells.

Proposals for granting permissions to dig Bore wells & Ring wells and use the water from them as well as to use the water from the existing surface wells for non-potable purposes are submitted at Insecticide Office from all Pest Control Officers. It is expected that the Pest Control Officers shall scrutinize all relevant documents including content of Undertaking & Indemnity Bond correctly before submitting the said proposals to concerned Asstt. Insecticide Officers.

It is observed that, many a times the contents of Undertaking & Indemnity Bond are not being properly scrutinized by Pest Control Officers which causes delay in issuing permission for digging Bore-wells / Ring-wells & use of water from existing surface Wells. Pest Control Officers are hereby directed to go through the contents of the Undertaking & Indemnity Bond thoroughly so as to avoid delay in issuing permissions. It is instructed to accept the Undertaking & Indemnity Bond only if it is in correct format or to inform the applicant to submit the proper Undertaking & Indemnity Bond if it is not submitted in the correct format. It is also informed that Pest Control Officers follow the instructions as per directions issued vide circular No. HO/248/IO/SR dt.09/05/2023 while accepting Undertaking & Indemnity Bond.

ACC :- Formats of Undertaking & Indemnity Bond.

1071003

**Insecticide** Officer

#### Pest Control Officers A To T Wards.

Copy to : Dy.IO's (City, WS and ES) and AIO's (Z-I to VII).

### FORMAT FOR UNDERTAKING ON RS.500/- STAMP PAPER FOR PERMISSION TO BORE WELLS

#### To,

### **Insecticide Officer**

5<sup>th</sup> Floor, Hawkers Plaza, Janta Market Building, Senapati Bapat Marg, Dadar(W), Mumbai - 400 028.

#### Sub: Permission for Bore well at

I / We hereby solemnly Undertake as below :-

#### A) Conditions of Insecticide Office:-

- 1. The bore well and the water storage tank/s in which the bore well water is stored shall be maintained in mosquito-proof condition.
- 2. The independent pipe line which supplies bore well water shall be painted in a conspicuous colour preferably 'Red'. A notice to indicate that 'the water is not for drinking purposes' shall be displayed next to the bore well and shall be painted on the water storage tank holding the bore well water.
- 3. The bore well water shall not be intermixed with the Municipal supply at any point and shall be used only for non-potable purposes as permitted in the letter of permission.
- The responsibility of maintenance of bore well should also be transferred to new owner, society with the intimation to the Insecticide Officer in case of transfer of the property.
- 5. The B.M.C., their Officers and servants will be held harmless and indemnified from and against all losses, suits, damages, costs, charges, claims and demands whatsoever including claim under the Workmens Compensation Act 1923, which the B.M.C., their Officers and servants sustain or incur or become liable to pay be reason or in consequence of any injury to any person or to a third party whether resulting directly or indirectly from existence and / or use of the said bore well water and bore well or occasioned through any accident or adverse effect.
- 6. The permission given for digging the bore well and use of the water from the same shall be revoked at any time on infringement of any of the conditions mentioned hereinabove, thereby giving three days notice.

#### B) Conditions of Rainwater Harvesting Department :-

- The bore well will be recharged with appropriate quantity of clean roof top rain water through a system of collection pipes laid above ground, with first flush and filter arrangement.
- 2. The rain water shall not be exposed to ground prior to recharge structure.
- Recharge unit and typical first flush arrangement will be maintained as per the schematic drawing of (typical) recharge structure provided by Brihanmumbai Municipal Corporation (B.M.C.).

- The filter media shall be cleaned regularly to avoid clogging and mosquito breeding.
- The structure shall be mosquito proof as per guidelines issued by Pest Control Officer / Health Department.
- The responsibility of Maintenance of bore well should also be transferred to new owner, society with the intimation to this office in case of transfer of the property.
- 7. The B.M.C., their officers and servants will be held harmless and indemnified from and against all losses, suits, damages, costs, charges, claims and demands whatsoever including claim under the Workmen's Compensation Act 1923, which the B.M.C., their officers and servants sustain or incur or become liable to pay be reason or in consequence of any injury to any person or to a third party whether resulting directly or indirectly from existence and /or use of the said bore well water and bore well or occasioned through any accident or adverse effect.
- The permission to use water of the bore well shall be revoked at any time on infringement of any of the conditions mentioned hereinabove, there by giving three days notice.

# C) Conditions of H.E. Department:-

1. That the water from the Bore well shall not be used for any other purpose than permitted and shall not be exploited commercially.

The above items shall be binding on me / us, our Administrators and Assignees. I / We will also comply with any other conditions of the other departments of Brihanmumbai Mahanagarpalika.

(Name & Signature)

The B.M.C. their Othcers and servents will be held hamiless and indemnified from and against all losses, suits, demages, costs, charges, claims and demands whatsoever including claim under the Workmans Competisation - d 1923, which the B.M.C., their Officers and servants sustain or recurring the cost is pay be reason or in consequence of any inury to any ber on or its third party whether resulting directly or indirectly from existence and (or use of the said bore well water and bore well or occasioned through any including or use of any whether resulting directly or indirectly from existence and (or use of the said bore well water and bore well or occasioned through any includent or adverse effect.

The permission given for sigging the pore well and use of the year's com the "same shall be tevoked at any dime on intringement of any of the "onditions" mentioned hereinsboys. Thereby giving three days notice.

B) Conditions of Ramater Harvesting Department 5

- The bore well valine recharged with appropriate quantity of Laws collog tainveter through a system of collection pipes (aid above ground, with first-flush, ind filter arrangement.
  - The law water shall not be exposed to ground prior to recharge setu state.
- Reoharge unit and (youtal first fusion arrangement will be maintained as per the schematic drawing of (typicni) recinerge structure provided by Brith Immumbat, Municipal Corporation (S.M.C.).

### FORMAT OF IDEMNITY BOND ON Rs.500/- STAMP PAPER FOR BORE WELLS, RING WELLS & EXISTING SURFACE WELLS

To,

The Municipal Commissioner Brihanmumbai Municipal Corporation Mahapalika Marg, Fort, Mumbai – 400 001.

> Sub : Permission for Bore wells / Ring wells / use of water from Existing Surface wells at

1.	This deed	of Indemnity	is	made	on	this	day	of	month	year
	between	Shri_							residing	at

, hereinafter referred

to as the 'Obligors' (in which expression are included unless such inclusion is inconsistent with the context, their heirs executors, administrators and assigns) of the First Part and <u>Brihanmumbai Municipal Corporation</u>, a Corporation constituted by the B.M.C. Act, 1888, hereinafter referred to as 'The Corporation' (in which expression are included unless such inclusion is inconsistent with the context, its successor or successors and assigns) of the Second Part and \* (Name of Municipal Commissioner to be mentioned), Municipal Commissioner for Brihanmumbaiumbai hereinafter referred to as 'The Municipal Commissioner of the successor or successors for the inclusion is inconsistent with the context, his successor or successors for the time being holding the office of the Municipal Commissioner) of the Third Part.

 AND WHEREAS The Municipal Corporation will be granting permission to Bore wells/ Ring wells / use of water from Existing Surface wells situated at

 And whereas this permission will be granted on the basis of documents submitted by the Obligor in support of an application.

 And whereas for issue of the permission, the Obligor has given undertakings in the prescribed format to B.M.C. to abide with the contents therein.

5. And whereas in continuation to the said undertaking, the Obligor hereby execute the Indemnity Bond in the manner hereinafter appearing.

**NOW THIS INDENTURE WITNESSES** that in pursuance of the facts mentioned by the Obligors and in consideration on the terms, the Obligors do hereby bind themselves and their executors, administrators and assigns covenant with the Corporation and with the Commissioner hereinafter save harmless and indemnify the Corporation and the Municipal Commissioner or either of them against all actions, claims, damages, demand of any nature and kind whatsoever which may be instituted, prepared , claimed or made against the Corporation and the Commissioner or either of them.

The Obligors further undertake to the Corporation to abide by the terms and conditions of the said Permission as well as to perform and act according to the terms and conditions of the Permission of the B.M.C. Act, 1888 and if there is any complaint, dispute in respect of the same, the obligors save and keep harmless and indemnify the Corporation and the Commissioner or either of them from and against all actions, acts, causes, claims, damages, demand of any nature and kind whatsoever which may be instituted, prepared, claimed or be made against the Corporation and the Commissioner or either of them.

**IN WITNESS WHEREOF** the Obligors have hereunto set their respective hands and seal on the day and year hereinabove written.

### SIGNED, SEALED AND DELIVERED.

### OBLIGOR

IN PRESENCE OF.....

Mr./ Mrs.

Address -

Mr./Mrs. Address

#### FORMAT FOR UNDERTAKING ON RS.500/- STAMP PAPER FOR PERMISSION TO

### RING WELLS

To,

#### Insecticide Officer

5<sup>th</sup> Floor, Hawkers Plaza, Janta Market Building, Senapati Bapat Marg, Dadar(W), Mumbai - 400 028.

Sub: Permission for Ring Well at

I / We hereby solemnly Undertake as below :-

#### A) Conditions of Insecticide Office:-

- The ring well shall be maintained in mosquito-proof condition by covering the ring well with an RCC slab which shall be provided with standard pattern mosquito-proof cover/s and the water storage tank/s in which the ring well water is stored shall also be maintained in mosquito-proof condition at all times.
- 2. The independent pipe line which supplies ring well water shall be painted in a conspicuous colour preferably 'Red'. A notice to indicate that 'the water is not for drinking purposes' shall be displayed next to the ring well and shall be painted on the water storage tank holding the ring well water.
- The ring well water shall not be intermixed with the Municipal supply at any point and shall be used only for non-potable purposes as permitted in the letter of permission.
- The responsibility of maintenance of ring well should also be transferred to new owner, society with the intimation to the Insecticide Officer in case of transfer of the property.
- 5. The B.M.C., their Officers and servants will be held harmless and indemnified from and against all losses, suits, damages, costs, charges, claims and demands whatsoever including claim under the Workmens Compensation Act 1923, which the B.M.C., their Officers and servants sustain or incur or become liable to pay be reason or in consequence of any injury to any person or to a third party whether resulting directly or indirectly from existence and / or use of the said ring well water and ring well or occasioned through any accident or adverse effect.
- The permission to use water of the ring well shall be revoked at any time on infringement of any of the conditions mentioned hereinabove, thereby giving three days notice.

#### B) Conditions of H.E. Department:-

1. That the water from the Ring well shall not be used for any other purpose than

permitted and shall not be exploited commercially.

 "That before cleaning, deepening or repairing of ring well necessary NOC will be obtained from Water Department of B.M.C.

- 3. That the depth of the ring well will not exceed more than 10 meters.
- 4. That no blasting will be carried out during digging of the ring well.
- 5. That no bore well will be bored in this ring well.

#### C) Conditions of Rainwater Harvesting Department :- (if applicable )

- The ring well will be recharged with appropriate quantity of clean roof top rain water through a system of collection pipes laid above ground, with first flush and filter arrangement.
- The rain water shall not be exposed to ground prior to recharge structure.
- Recharge unit and typical first flush arrangement will be maintained as per the schematic drawing of (typical) recharge structure provided by Brihanmumbai Municipal Corporation (B.M.C.)
- The filter media shall be cleaned regularly to avoid clogging and mosquito breeding.
- The structure shall be mosquito proof as per guidelines issued by Pest Control Officer / Health Department.
- The responsibility of Maintenance of ring well should also be transferred to new owner, society with the intimation to this office in case of transfer of the property.
- 7. The BMC, their officers and servants will be held harmless and indemnified from and against all losses, suits, damages, costs, charges, claims and demands whatsoever including claim under the Workmen's Compensation Act 1923, which the BMC, their officers and servants sustain or incur or become liable to pay be reason or in consequence of any injury to any person or to a third party whether resulting directly or indirectly from existence and /or use of the said ring well water and ring well or occasioned through any accident or adverse effect.
- The permission to use water of the ring well shall be revoked at any time on infringement of any of the conditions mentioned hereinabove, thereby giving three days notice.

The above items shall be binding on me / us, our Administrators and Assignees. I / We will also comply with any other conditions of the other departments of Brihanmumbai Mahanagarpalika.

### FORMAT FOR UNDERTAKING ON RS.500/- STAMP PAPER FOR USE OF WATER FROM EXISTING SURFACE WELLS

To,

#### **Insecticide Officer**

5<sup>th</sup> Floor, Hawkers Plaza, Janta Market Building, Senapati Bapat Marg, Dadar(W), Mumbai - 400 028.

> Sub: Permission for use of water from Existing Surface Well at

I / We hereby solemnly Undertake as below :-

- The surface well shall be maintained in mosquito-proof condition by covering the well with an RCC slab which shall be provided with standard pattern mosquito-proof cover/s and the water storage tank/s in which the surface well water is stored shall also be maintained in mosquito-proof condition at all times.
- 2. The independent pipe line which supplies surface well water shall be painted in a conspicuous colour preferably 'Red'. A notice to indicate that 'the water is not for drinking purposes' shall be displayed next to the surface well and shall be painted on the water storage tank holding the surface well water.
- The surface well water shall not be intermixed with the Municipal supply at any point and shall be used only for non-potable purposes as permitted in the letter of permission.
- The responsibility of maintenance of surface well should also be transferred to new owner, society with the intimation to the Insecticide Officer in case of transfer of the property.
- 5. The water from the well shall be used only for non-potable purpose and shall not be exploited commercially.
- The permission to use water of the surface well shall be revoked at any time on infringement of any of the conditions mentioned hereinabove, thereby giving three days notice.

The above items shall be binding on me / us, our Administrators and Assignees. I / We will also comply with any other conditions of the other departments of Brihanmumbai Mahanagarpalika.

### FORMAT OF SELF DECLARATION FOR SWIMMING POOLS

To, The Pest Control Officer \_\_\_\_\_ Ward (Address)

Sub: Deemed NOC's for Swimming Pool at \_\_\_\_\_

I / We hereby solemnly Declare as below :-

- 1. The plan of the said swimming pool has been approved by competent planning authority & the approval number is \_\_\_\_\_ dtd \_\_\_\_\_.
- The swimming pool has been provided with an outlet flushed with the bottom for emptying the bath tank thoroughly and same is connected to the Municipal drain or balancing tank through proper intermediate Municipal approved fitting having water seal.
- 3. The swimming pool when not functional will be kept empty and water will not be allowed to stagnate so as to prevent breeding of vector mosquitoes.
- 4. It will be binding on me/us to allow immediate and uninterrupted access to the bonafide staff members of BRIHANMUMBAI MUNICIPAL CORPORATION, for the purpose of inspection and treatment or any other action regarding the swimming pool, which the Insecticide Officer finds deemed fit in any situation as per relevant provision of M.M.C. Act.
- 5. The balancing tank is maintained in mosquito proof condition & is provided with Standard Pattern B.M.C. approved round cast iron / fiber glass manhole cover.

I am aware that, If I fail to maintain the said swimming pool as per the declaration, B.M.C. will be initiating legal action under the provisions of MMC Act 1888.

# FORMAT OF SELF DECLARATION FOR WATER STORAGE TANKS

To, The Pest Control Officer \_\_\_\_\_Ward (Address)

Sub: Deemed NOC for \_ nos. of (make) Water Storage Tank/s at \_\_\_\_\_

I / We hereby solemnly declare as below :-

1. That the above mentioned cistern/s is/are maintained in mosquito proof condition:-

a) by providing B.M.C. approved standard pattern round cast iron manhole covers which are fitted on the manhole leaving no gap between the top sheet / rim / top slab & the collar ring of the manhole cover assembly.

b) by providing check nuts to the feeding pipes & overflow pipes.

- c) by providing a 'Jali' to the end of the overflow pipes & ventilation pipes.
- 2. That the above mentioned cistern/s is/are maintained in accessible condition by providing a safe & easy ladder, the distal ends of which are embedded in a cement concrete block & the top ends of which are curved & bent at a height of 18 inches & are fixed to the top of the tank.

The above items shall be binding on me / us, our Administrators and Assignees. I / We will also comply with any other conditions of the other departments of Brihanmumbai Mahanagarpalika.

# FORMAT OF SELF DECLARATION FOR COOLING TOWERS

To, The Pest Control Officer \_\_\_\_\_ Ward (Address)

Sub: Deemed NOC for \_ nos. of Cooling Tower/s at \_\_\_\_\_

I / We hereby solemnly Declare as below:-

- The cooling tower is installed constructed with its bottom at a height more than
   1.2 mtrs & is provided with a permanently fixed iron ladder (the lower ends of which are embedded in a cement concrete block and the upper ends curved and fixed to serve as hand grips) to facilitate sampling and inspection.
- 2. The bottom trough will be emptied and scrubbed thoroughly once a week.
- 3. The bottom trough is provided with sufficient number of spouts or sprinklers to agitate the entire surface of water, from a minimum height of 2 mtrs.
- 4. The water will be drained off & the cooling tower will be maintained in dry condition when it is not in use.

The above items shall be binding on me / us, our Administrators and Assignees. I / We will also comply with any other conditions of the other departments of Brihanmumbai Mahanagarpalika.

# FORMAT OF SELF DECLARATION FOR JACUZZI

To, The Pest Control Officer \_\_\_\_\_ Ward (Address)

Sub: Deemed NOC for Jacuzzi/s at \_\_\_\_\_

I / We hereby solemnly Declare as below:-

- The jacuzzi is provided with an outlet flushed with the bottom for emptying the bath tank thoroughly and same is connected to the Municipal drain / balancing tank through proper intermediate Municipal approved fitting having water seal.
- 2. The balancing tank of the Jacuzzi is maintained in mosquito proof condition having BMC approved standard pattern cast iron / fiber glass round manhole cover.
- 3. The jacuzzi when not functional will be kept empty and water will not be allowed to stagnate so as to prevent breeding of vector mosquitoes.
- 4. It will be binding on me/us to allow immediate and uninterrupted access to the bonafide staff members of BRIHANMUMBAI MUNICIPAL CORPORATION, for the purpose of inspection and treatment or any other action regarding the Jacuzzi, which the Insecticide Officer finds deemed fit in any situation as per relevant provision of M.M.C. Act.

The above items shall be binding on me / us, our Administrators and Assignees. I / We will also comply with any other conditions of the other departments of Brihanmumbai Mahanagarpalika.

### FORMAT OF LETTER TO THE APPLICANT FOR PERMISSION TO BORE / TUBE WELL

### BRIHANMUMBAI MUNICIPAL CORPORATION PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

No. : PCO/ /SR Date :

To,

Sub : Application for permission for proposed / existing bore / tube well at \_\_\_\_\_

Ref : 1) Your application dt. \_\_\_\_\_ 2) H.E.'s circular no. HE/16/Cir dt. 19.01.2016. 3) IO /3649/SR Date :05.04.2016

Dear Sir / Madam,

This is in reference to your above referred application received in this office on \_\_\_\_\_\_. In this regard you are requested to submit following documents with due attestation within 15 days of receipt of this letter.

- 1. A letter mentioning the intended use of bore/ tube well water
- 2. Documentary evidence to prove the ownership of the property by submitting Property Card Extract / Assessment tax bill if you are the owner OR the above and NOC from the owner. In case of development of Property please submit Agreement for development / Purchase deed / I.O.D. / I.O.A. (SRA) along with C.A. document (Power of Attorney) to establish the ownership.
- 3. Two sets of approved plans / O.C. plans / Location plans / Block plans indicating the location of proposed bore/ tube well along with an Google image on A3 size print distinctly showing adjoining roads /plots.
- 4. An ERT (Electrical Resistivity Test) report by Schlumberger Layout Method from qualified Geologist/ Geotechnical Engineer or GWSD of Govt, indicating :
  - a) Depth of proposed bore/ tube well.
  - b) Yield and variation in water table, if any & effect on existing borewells in the vicinity.

c) Recommendations regarding recharging if needed, with due consideration to proper balance in extraction & recharging and suitable methods for the same.

- 5. In case of reclaimed land standard precautions to prevent contamination of underground water.
- 6. Name & address with contact number of agency appointed for drilling bore/ tube well
- 7. An undertaking on Rs. 500/- non judicial stamp paper of the conditions framed by the Insecticide Branch of Public Health Department, conditions of Hydraulic Engineering Department regarding recharging of bore/ tube wells & Commercial exploitation of bore /tube well water, which is attached herewith. Only in case if property title is not clear Indemnity Bond as per the format attached herewith should be given on the same stamp paper.
- 8. Diagram of details of bore/ tube well attached herewith.
- 9. Diagram of recharging of bore/ tube well attached herewith.
- 10. NOC from A.E. (W.W.) \_\_\_\_\_ ward.

In case of failure to submit the above documents within 15 days of receipt of this letter, your application will not be considered for further process & shall be filed.

Pest Control Officer \_\_\_\_\_ ward

### FORMAT OF LETTER TO THE APPLICANT FOR PERMISSION TO RING WELL

### BRIHANMUMBAI MUNICIPAL CORPORATION PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

No. : PCO/ /SR Date :

To,

Sub: Application for permission for proposed ring well at \_\_\_\_\_

Ref: 1) Your application dt. \_\_\_\_\_ 2) IO /3649/SR Date :05.04.2016

Dear Sir / Madam,

This is in reference to your above referred application received in this office on \_\_\_\_\_\_. In this regard you are requested to submit following documents with due attestation within 15 days of receipt of this letter.

- 1. A letter mentioning the intended use of ring well water.
- Documentary evidence to prove the ownership of the property by submitting Property Card Extract / Assessment tax bill if you are the owner OR the above and NOC from the owner. In case of development of Property please submit Agreement for development / Purchase deed / I.O.D. / I.O.A. (SRA) along with C.A. document (Power of Attorney) to establish the ownership.
- 3. Two sets of approved plans / O.C. plans / Location plans / Block plans indicating the location of proposed ring well.
- 4. An undertaking on Rs. 500/- non judicial stamp paper of the conditions framed by the Insecticide Branch of Public Health Department, conditions of Hydraulic Engineering Department regarding recharging of bore/ tube wells & Commercial exploitation of bore /tube well water, which is attached herewith. Only in case if property title is not clear Indemnity Bond as per the format attached herewith should be given on the same stamp paper.

 NOC from A.E. (W.W.) - \_\_\_\_\_ ward. In case of failure to submit the above documents within 15 days of receipt of this letter, your application will not be considered for further process & shall be filed.

Pest Control Officer \_\_\_\_\_ ward

### FORMAT OF LETTER TO THE APPLICANT FOR PERMISSION TO USE OF WATER FROM EXISTING SURFACE (HCC) WELLS

### BRIHANMUMBAI MUNICIPAL CORPORATION PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

No. : PCO/ /SR Date :

To,

Sub : Application for permission for use of water from existing surface (HCC) well at \_\_\_\_\_

Ref : 1) Your application dt. \_\_\_\_\_ 2) IO /3649/SR Date :05.04.2016

Dear Sir / Madam,

This has reference to your above referred to application received in this office on \_\_\_\_\_\_. In this regard you are requested to submit following documents with due attestation within 15 days of receipt of this letter.

- 1. A letter mentioning the intended use of surface (HCC) well water.
- Documentary evidence to prove the ownership of the property by submitting Property Card Extract / Assessment tax bill if you are the owner OR the above and NOC from the owner. In case of development of Property please submit Agreement for development / Purchase deed / I.O.D. / I.O.A. (SRA) along with C.A. document (Power of Attorney) to establish the ownership.
- 3. Copy of approved plans / O.C. plans / Location plans / Block plans indicating the location of surface (HCC) well.
- 4. An undertaking on Rs. 500/- non judicial stamp paper of the conditions framed by the Insecticide Branch of Public Health Department for surface (HCC) well water, which is attached herewith. Only in case if property title is not clear Indemnity Bond as per the format attached herewith should be given on the same stamp paper.

In case of failure to submit the above documents within 15 days of receipt of this letter, your application will not be considered for further process & shall be filed.

Pest Control Officer \_\_\_\_ ward

# FORMAT OF NOTE TO WATER DEPARTMENT FOR A PERMISSION TO BORE /TUBE WELL

No.: PCO/ /SR dt.

Sub : Application to dig the bore/ tube well at

------

Ref: Application received Vide No. -----dt.-----dt.-----

With reference to the above subject you are requested to issue NOC to dig the bore/ tube well at above mentioned premises. While issuing the NOC following points should be considered as per the circular no.HE/16/Cir dt.19.01.2016.

- Proposed / existing location of the bore/ tube well with respect to the alignment of underground water tunnel. (proposed to be kept 200 M on either side of tunnel safety band.) Physical verification of the bore/ tube well point on location plan and confirmation of the location of proposed bore/ tube well on corresponding Google image.
- An ERT (Electrical Resistivity Test) report by Schlumberger Layout Method from qualified Geologist / Geotechnical Engineer or GWSD of Govt, indicating a) Depth of proposed borewell.
  - b) Yield and variation in water table, if any & effect on existing bore/ tube wells in the vicinity.
  - c) Recommendations regarding recharging if needed, with due consideration to proper balance in extraction & recharging and suitable methods for the same.
- In case of reclaimed land, standard precautions to prevent contamination of underground water.

You are requested to issue your no objection certificate / rejection letter directly to the applicant with the copy of the same to this office for further necessary action at the earliest.

Submitted for further disposal please.

# Pest Control Officer ----- ward

A.E.W.W. ----- ward

### FORMAT OF NOTE TO WATER DEPARTMENT FOR A PERMISSION TO RING WELL

No.: PCO/ /SR dt.

Sub : Application to dig the ring well at

\_\_\_\_\_

-----

Ref: Application received Vide No. -----dt.-----dt.-----

With reference to the above subject you are requested to issue NOC to dig the ring well at above mentioned premises. While issuing the NOC following points should be considered:-

1) Proposed / existing location of the ring well with respect to the alignment of under ground water tunnel. (proposed to be kept 200 M on either side of tunnel safety band.) Physical verification of the ring well point on location plan and confirmation of the location of proposed ring well on corresponding Google image.

You are requested to issue your no objection certificate / rejection letter directly to the applicant with the copy of the same to this office for further necessary action at the earliest.

Submitted for further disposal please.

Pest Control Officer ----- ward

A.E.W.W. ----- ward

# APPLICATION FORM FOR ISSUANCE RENEWAL OF PERMISSION FOR EXISTING / PERMITTED / NEW WATER FOUNTAINS / CASCADES ETC.

# (I) <u>EFFECT</u>:

The Policy in respect of issuance / renewal of permission for existing permitted / new water fountain / cascades etc. will come in to effect from \_\_\_\_\_

# (II) <u>NEED FOR REGULATION</u> :

For Last many years fountains have been one of the main breeding spot for Anopheles mosquito, a vector for malaria in Mumbai. However since fountain / cascades etc. form an integral part of clean Mumbai & beautiful Mumbai, a need to re-consider the policy for granting permission to fountains etc. by implementing strict rules & regulation came forward. Municipal Corporation of Greater Mumbai therefore sincerely appeal to the applicants to follow the rules and regulations in this regard and co-operate the administration.

# (III) GENERAL NORMS:

The permission for fountains / cascades U/s. 381A(1) of M.M.C. Act. will be issued from the office of the Insecticide Officer, 5th Floor, Hawkers Plaza, Janta Market Bldg, Senapati Bapat Marg, Dadar (W), Mumbai 400028.

# (IV) PROCEDURE FOR ISSUE OF PERMISSION TO NEW / EXISTING PERMITTED WATER FOUNTAINS

# (a) Application

An application form will only be issued to the Owner on payment of Rs.130/-(CGST 6% + SGST 6%) in cash at Pest Control Officer's Office - (Appendix 'A')

# (b) Scrutiny Charges

Scrutiny charges of Rs.520/- be paid along with the documents.

# (C) Document to be enclosed

 (i) Ownership document in the form of certified / attested copy of latest assessment tax bill & receipt / P.R. Card / copy of Index-II or any other authentic proof of ownership.

Section 4(1) (b) (XIII) Contd..

- (ii) Certified true copy of the set of blue prints of the plan approved by D.P.
- (iii) Sketch prepared by licensed Architect / Surveyor Showing
  - a. Vertical Section
  - b. Horizontal Section
  - c. Front elevation
  - d. Dimension & Capacity In liters of the sump.
  - e. Size & Position of the Manhole / Manholes of the balancing tank
  - f. Point of inflow to the sump should be through water seal, preferably one or more nahni traps.
  - g. Point of outlet to the drainage connection / soakpit.

# (V) PROCEDURE FOR PERMISSION

- a) Initially provisional permission shall be granted to construct the fountain etc. on verification of the documents.
- b) Draft conditions are incorporated as appendix 'C' in this booklet and on physical compliance of the conditions mentioned in the memo, final permission will be issued on remittance and submission of the following.
  - Undertaking on Rs.500/- stamp paper of conditions governing the fountain permission, as per format put in this booklet.
  - ii) Indemnity bond as per format Appendix 'B'
  - [iii) Payment of Security deposit of Rs.26,000/- (Rs. Twenty Six Thousand Only) by D.D. only in the Name of BMC.
  - iv) Payment of fees of Rs. 7,800/- (Rs. Seven Thousand Eight Hundred Rupees Only) by D.D.in the name of BMC.

# (VI) REFUSAL TO PERMISSION

The application for permission to existing / proposed water fountain etc. shall be considered for process if and only if all the water storages other than the fountain etc., under permission procedure is/are in absolutely mosquito proof and accessible condition as per the norms of Insecticide Branch of Public Health Dept. of M.M.C. and there is no action whatsoever pending against the said premises regarding section 381/381-A of MMC Act.

# (VII) PROCEDURE FOR RENEWAL

# (a) <u>TIME OF RENEWAL</u>

Any time before expiry of permission.

# (b) <u>RENEWAL FEES</u>

The renewal fees shall be Rs.7,800/- (Rs. Seven Thousand Eight Hundred Rupees Only).

# (c) PENALTY FOR DELAY IN RENEWAL

The Schedule of late Renewal fees of permission to fountain, Ornamental Tank, rock garden etc. on late renewal.

Sr.	Delay in Renewal Period	% of	Penalty
No.		Penalty	Fees (Rs.)
01.	First Quarter	25%	1,950/-
02.	Second Quarter	50%	3,900/-
03.	Third Quarter	75%	5,850/-
04.	Fourth Quarter	100%	7,800/-

Above fees are to be paid in addition to permission fee of Rs.7,800/- p.a.

# (d) NORMS FOR RENEWAL

Every permission will be renewed except in such cases where it is objectionable to renew under the prevailing maintenance condition of the fountain or due to change in policy guidelines, if any from the Municipal Commissioner.

# (e) POLICY FOR NON-RENEWAL OF PERMISSION

- On non-renewal of permission for more than one year the permission shall be treated as revoked.
- (ii) The Security deposit shall be forfeited in case of non-renewal for more than one year.
- (iii) Legal action u/s. 381/381A shall be initiated as per M.M.C. Act=1888.
- (iv) If required demolition / seizure action of the fountain will be initiated at the risk & cost of the owner.

# (VIII) PROCEDURE FOR PERMISSION AFTER REVOCATION

The Owner if desire to obtain the permission after revocation shall have to follow the same procedure as described before for new fountain (As described in **'V'**).

# (IX) PROCEDURE FOR TRANSFER OF PERMISSION

Transfer of permission arises in following cases

- (1) The death or retirement of the owner & his legal heir becoming the owner.
- (2) Addition, alteration or deletion in the name of the permission holder.

# (X) <u>CONCLUSION</u>

The permission holder shall abide by every instruction and rule and regulation regarding the physical condition of the fountain etc. and its maintenance as well as disease potential arising due to improper maintenance of the fountains permitted or any default due to nonpayment or delayed payment of security deposit and permission fees and the penalty amount for delay, incorporated in the said permission and also which is not contained in the said permission and laid down later by the corporation; who may add or amend or delete any of the above rules and rules as such amended accordingly but without prejudice to anything done or to be done before any such change, if any dispute arises out of calculation of payment of permission fees, or interpretation of the above rules etc. therein the decision of Corporation/Commissioner shall be final.

# APPENDIX – A

Form No.

# **APPLICATION FORM - FORMAT FOR FOUNTAIN**

To, The Insecticide Officer Insecticide Branch, Dadar, Mumbai – 400 028 01) Application for Fountain: (Tick mark as which is Appli		isting	
02) Name of the Owner:			
3) Complete address of the			
owner :			
04) Tel. No.:			
05) Cell No.:			
06) Status of the applicant : 1)	Proprietary:		
2)	Partnership :		
	3) Private Ltd.:		
4)	Public Ltd. :		
5) F	Residential Society:		
6) (	Commercial Society:		
07) Exact Location Address of premises of fountain:			

I/We, herby request to issue /renew permission for the Fountain for the Fountain / Cascade etc. as referred above.

Signature of the Applicant

### DECLARATION

**I/We**, hereby declare that the information given in the application is true and **I/We** undertake to comply with the terms and conditions of the permission and if at any time it is found that the information is false / untrue, the permission is liable for cancellation and for any further action; **I/We** myself/ourselves / my/our heir/successors and assignees Partners/Directors/Management shall be solely responsible for any action, claim, damages, demand of any nature of whatsoever kind which may be initiated and / or instituted and / or made against the BRIHANMUMBAI MUNICIPAL CORPORATION or its offices due to issue of the Permission.

Date : ..... 20

Signature or Thumb Impression of the Owners / Partner/s / Secretary

# APPENDIX - B

### **INDEMNITY BOND ON Rs. 500/-**

### Stamp Paper

# To,

1)

Brihan	<b>Iunicipal Commissioner,</b> nmumbai Municipal Corporation, pai – 400 001.		
	Sub :		
	Ref :		
	This Deed of indemnity is made this		
	year between Shri. / Smt./ M/s		
		Proprietor / Par	rtner / Secretary
of			residing at
			•
"th	ne Obligors" (in which expression are		
	consistent with the context, their heirs, execu		
	First Part and The BRIHANMUMBAI MUNIC		<b>Q</b> /
	nstituted by the Mumbai Municipal Corporatio		
	•		
	ne Corporation' (in which expression are		
	consistent with the context, its successor of		<b>C</b> ,
	cond Part and Shri		the Municipal
Co	ommissioner for Greater Mumbai hereinaf	ter referred to as	'the Municipal
Co	ommissioner' (in which expression are i	ncluded unless suc	ch inclusion is
inc	consistent with the context, his successor or s	successors for the tim	ne being holding
the	e office of the Municipal Commissioner) of the	Third Part.	

2) AND WHEREAS this Permission for fountain / cascade etc. is granted on the basis of documents submitted by the Obligor.

3) And whereas for issue of the permission for fountain / cascade etc. in the prescribed booklet to B.M.C. to abide with the contents therein.

4) And whereas in continuation to the said undertaking, the Obligor hereby execute Indemnity Bond in the manner hereinafter appearing.

71

**NOW THIS INDENTURE WITNESSES** that in pursuance of the facts mentioned by the obligor and in consideration on the terms, and Obligors do hereby bind himself / herself / themselves and their executors, administrators and assignees covenant with the Corporation and with the Commissioner hereinafter save harmless and indemnify the Corporation and the Municipal Commissioner or either of them from and against all actions, claims, damages, demand of any nature kind whatsoever which may be instituted, prepared, claimed or made against the Corporation and Commissioner or, either of them.

The Obligors further undertake to the Corporation to abide by the terms and conditions of the said permission for fountain / cascades etc. as well as to perform and act according to the terms and conditions under section 381A(1) of the Mumbai Municipal Corporation Act, 1888 amended up-to-date and if there is any complaint, dispute in respect of the same, the obligors save and keep harmless and indemnify the Corporation and the Commissioner or either of them from and against all actions, and causes, claims, damages, demand of any nature and kind whatsoever which may, be institute prepared, claimed or be made against the Corporation and the Commissioner of either of them.

**IN WITNESS' WHEREOF** the Obligors have hereunto set their respective hands and sign on the day and year hereinabove written;

SIGNED, SEALED AND DELIVERED	)		
1)		)	
2)		)	
in the presence of		)	
1)		)	
2)		)	OBLIGOR
		)	

# GENERAL CONDITIONS

- 1. The application will not be considered unless the form is completely and correctly filled in.
- 2. If the information given in their application is found at any time to be incorrect, the permission if and when granted will be liable to be cancelled without notice and no refund of fees will be allowed for the unexpired period of such permission and suitable action will be initiated.
- 3. The issue of this form does not guarantee the grant of permission. It is illegal to run any water fountains / cascades etc. in anticipation of permission wherein legal actions as per MMC Act. will be immediately initiated as soon as such unauthorized water fountains / cascades etc. are noticed.
- 4. In case of transfer of ownership it is compulsory to transfer the permission by following due procedure.
- 5. The Permission fees are payable annually in advance and are non refundable. They must be paid within 10 days of the receipt of the demand as otherwise a composition on it at the prescribed rate will become due in addition to the prescribed fees.
- 6. The permission if granted will have to be produced in the Insecticide office for renewal before the expiry of the same every year on payment of necessary fees as otherwise the composition at the (same / prescribed) rate as above will be recoverable in addition to the prescribed fees and besides the permission will be treated as without permission and dealt with (as such / accordingly).

Received application on ...... 20

Receiver's Signature

#### <u>APPENDIX – C</u> <u>Undertaking-cum-Bond of conditions governing Fountain Permission</u> (To be submitted on Rs.500/- Stamp Paper)

Draft conditions (framed under Section 479 (1) of the M.M.C. Act) governing the permission to be granted under Section 381 A (1) of the M.M.C. Act for Ornamental Tanks, Water Fountains, Rock Garden Fountains, Artificial Water Falls etc.

- I/We am/are aware that the Construction or installation of any structure such as Ornamental tanks, fountains, ponds, garden tank, trough, channel, etc., where water is played or held shall not be permitted or allowed to be put up or constructed on upper floors, or on the terrace indoors.
- 2. I/We shall see to it that the bottom of such Ornamental tanks, fountains, ponds shall be above the ground level and sloping towards the outlet flush with the bottom to facilitate complete draining upto the last drop. The outlet shall be reconnected to the Municipal Drain.
- 3. I/We shall see to it that where the water is circulated and made to fall from a height over the troughs, cups or ledges, they shall be provided with adequate slopes to disallow any collection of water when the fountain stops playing.
- 4. I/We shall see to it that all the vertical and horizontal surfaces over which the water runs or falls shall be perfectly even and smooth to disallow formation of pockets likely to hold or trap water or in any way be a hindrance at the time of emptying.
- 5. I/We shall see to it that there shall be built in automatic arrangement to drain out entire quantity of water into a mosquito proof sump on every occasion the fountain stops playing for the day. The mosquito proof sump shall be provided with standard pattern Municipal approved cast iron cover of round shape and the sump should not have gap opening or crevice exceeding 1.5 mm.

OR

The entire quantity of water shall be drained out directly into the Municipal Drain, the moment the fountain stops playing in a manner stated under condition No. 2.

1. I/We shall see to it that the entire surface of water shall remain sprinkled or agitated when the fountain is being played.

- 8. I/We shall see to it that the whole system shall be kept dry once in a week on the day of inspection as would be communicated.
- 9. I/We shall see to it that no aquatic plants should be introduced or grown which may prevent observance of weekly dry day.
- 10. I/We am/are aware that only the person having legal possession of the premises is eligible for such permission and applications made by other persons such as Builders, Developers, Architects, Contractors, etc. will not be considered. Applications must accompany with proper drawings, plans of the intended structures showing in take and drainage arrangement for water, otherwise same will not be considered.
- 11. I/We am/are aware that the permission holder shall pay the prescribed fees for the issue of permission and renewal of the same for all subsequent financial years as will be chargeable in accordance with the schedule fixed by the Corporation and in force on the day of issue or renewal of the permission. Fees paid may be liable to be revised even after the issue or renewal of permission and in case if the same are revised by the Corporation, the permission holder shall then be liable to make good the difference of fee in accordance with an intimation in that respect which will be communicated to him, failing-which the permission will be treated as cancelled.
- 12. I/We am/are aware that the permission is valid from the date of issue till the end of March of the same year and it shall be renewable for every subsequent financial year.
- 13. I/We am/are aware that the permission, when its fees are received by an instrument will be valid only on realization of the instrument, till then, or, if the instrument is dishonoured on any account, the party concerned will be deemed to be without permission and will be dealt with as such.
- 14. I/We am/are aware that the permission fee is non-refundable.
- 15. I/We am/are aware that the permission holder shall get his permission renewed in the month of March every year for all subsequent financial years, on payment of prescribed fees. No notice will be given to him for renewal of permission. If he

fails to pay such fees within the stipulated time, he can still get his permission renewed if so allowed by the Competent Authority of the Corporation, by paying compensation charges as may be fixed by the Corporation in addition to the usual permission fees. In the absence of such payment the permission stands automatically cancelled and he will be liable for prosecution and his claim for renewal of permission shall not be considered.

- 16. I/We am/are aware that this permission does not absolve the permission holder from the obligations arising out of any other provisions of the Mumbai Municipal Corporation Act or other legislation in vogue and the permission is liable for suspension, revocation or cancellation, if so required in that connection.
- 17. I/We am/are aware that the permission holder shall not exceed or violate or in any way infringe the conditions of this permission. In such cases, the permission holder will be liable for prosecution and/or revocation of permission.
- 18. I/We am/are aware that the permission holder shall produce the permission for inspection purpose whenever demanded by duly authorised officer or offices of the Corporation.
- 19. I/We am/are aware that the permission holder shall inform the Insecticide officer in writing about any intended change in the permission at least one month in advance from the date of such intended change or from the date of expiry of permission whichever is earlier.
- 20. I/We am/are aware that the permitted premises shall be made available for inspection by the permission holder or his agent at any time to any duly authorized officer of the Corporation immediately whenever required.
- 21. I/We am/are aware that the permission holder is liable for prosecution and/or the permission will be liable for suspension or revocation if the permitted activity / activities is/are so carried on as to be or likely to be, in the opinion of the Municipal Commissioner or any duly authorized officer of the Corporation, a source of nuisance or danger to life, health or property.
- 22. I/We am/are aware that the suspension or revocation of this permission for any reason shall not prejudice or effect any claim or demand whatsoever of the Municipal Commissioner or any other Competent Authority of the Corporation, nor shall the permission holder be entitled in the event of the suspension or revocation of this permission to claim any refund of any payment whatsoever made by him hereunder, or to claim any damages against the BRIHANMUMBAI MUNICIPAL CORPORATION towards construction cost.
  - 23. I/We am/are aware that the permission holder shall pay security deposit as may be prescribed from time to time (by the Corporation) for faithful observance of the conditions of permission and the same will be forfeited to the Municipal Treasury

at the discretion of the Municipal Commissioner or any other competent authority of the Corporation in case of any of the conditions of this permission is infringed any time by the permission holder, or his agent or servant. The permission shall be treated as suspended till fresh security deposit is paid to Municipal Corporation. The permission holder shall also be liable for prosecution and/or the permission will be liable for suspension or revocation for such infringement of condition of permission.

- 24. I/We am/are aware that on expiry of permission or in case of its revocation the permission holder shall remove the structure within 15 days thereof, failing which the BRIHANMUMBAI MUNICIPAL CORPORATION, or officers empowered will be entitled to take necessary action to demolish and remove the same without any notice and to recover the demolition charges from permission holder.
- 25. I/We am/are aware that the permission is not transferable either as regards the persons to whom or the premises for which it is granted, without the written permission of the Competent Officer of the Corporation.
- 26. I/We am/are aware that if the permission holder decides to discontinue the activities for which the permission is granted, he shall forthwith inform the Insecticide Officer that he is about to do so or has done so.
- 27. I/We am/are aware that the BRIHANMUMBAI MUNICIPAL CORPORATION is entitled to add, alter or amend the conditions at any time at the discretion of the Municipal Commissioner or any other competent authority of the BRIHANMUMBAI MUNICIPAL CORPORATION. In such event the permission holder shall abide the modified and/or additional conditions.

The above conditions will be binding on me / us, Our administrators and assignees. I/We also comply with any other conditions of the other departments of BRIHANMUMBAI MUNICIPAL CORPORATION if any.

#### SIGNATURE AND SEAL

#### OF THE APPLICANT /OWNER

#### Sub:- Proposal for ascertaining procedures for permission to water fountains cascades / ornamental tanks / water falls etc

Ref:- 1) Standing committee resolution no 396 Dt-31/8/05 <u>2) Municipal corporation resolution no 827 Dt-13/10/05</u>

On 31<sup>st</sup> August 2005, SCR was passed for permitting water fountains / cascades,

etc. against certain condition. There shall be three types of cases coming forward while implementing policy to permit fountains etc.

- **Type I** The fountains which were permitted prior to 1996 and their permission is not revoked.
- **Type II** The fountains which come into existence after 1996, but were not permitted and undergoing legal action
- **Type III** Proposed fountains yet to be constructed but shown in the building plans approved by DP.

## The procedures for permission is hereby proposed;

- 1) Format of application with all the necessary information is designed and enclosed herewith on page No. C\_\_\_\_
- 2) The application form as a booklet will be available in the I.O office at the cost of Rs.100/-(Rs. One Hundred) plus VAT as applicable to be paid in cash
- 3) There will be scrutiny charges of Rs.400/ to be paid in cash at I.O office with the application format completely filled on along with the documents as prescribed below;
  - (i) Attested copy of the latest bill and receipt of the assessment tax paid at the office of A & C of the respective words or extract of the proper registration card or extract of Index –II issued by the revenue department of GOM or any other authentic proof of ownership.
  - (ii) Certified true copies of the set of blue prints of the plan approved by D. P.
- (iii) Sketch prepared by license architect / surveyor showing;
  - (a) Vertical Section
  - (b) Horizontal section
  - (c) Front elevation
  - (d) Dimension and capacity in Ltrs. of the sump
  - (e) Size and position of manhole / manholes.
  - (f) Point of inflow to the sump through water seal.
  - (g) Point of outlet to the drainage connection/soak pit

- (iv) Authority from the owner to Architect / L.P.
- (v) Certificate from the architect in format enclosed as in the booklet.
- (vi) Certificate from the L.P. in the format enclosed as \_\_\_\_\_ in the booklet.
- 4) The Proposal will be scrutinized by the concerned A.I.O. and will be submitted to Dy.I.O. for orders to accept the deposit of Rs.10,000/-(Rupees ten thousand Only ) as per SCR. Following which AIO of the zone will sent intimation for payment of deposit to the applicant.
- 5) Provisional permission shall be then issued to the applicant and a demand of revenue shall be created at I.O. office in respective register.
- 6) The memo of condition [Page No. -----] shall be incorporated with the format booklet of application. The applicant has to submit on Rs.100/- stamp paper & comply with the conditions duly signed and with the stamp and round seal (in case of commercial establishment).
- 7) On receipt of the undertaking from the applicant the papers will be passed on to ward P.C.O. for further observation and process. The provisional permission shall be valid for 90 days within which the applicant has to comply with the conditions of the undertaking and intimate the same to the I.O. office. If the final permission is not obtained with this period the security deposit will be fortified and if there is any excavation or suspended masonry or fabricated work at the site, the applicant shall be liable for action u/s 381or 381-A or both together as the case may be.
- 8) The PCO shall ensure that work of construction/ fabrication of the fountain is completed within 60 days and submit the report accordingly to A.I.O concern. Dy. I.O. / A.I.O. will visit the site and after confirming that the conditions incorporated in the undertaking are totally complied, I.O. will issue orders to accept the permission fees of Rs.3,000/- (Rs. Three Thousand Only).
- 9) On receipt of the above fees I.O. will issue final permission to the applicant.
- 10) The Permission will be issued for one year only.

11) The permission will be renewed one month before the expiry and the renewal fees shall be Rs.6,000/- (Rupees Six Thousand Only) as per the SCR No.396 dt.31/08/05.

Sr. No.	Period of delay	Percentage of Penalty	Penalty charges ( rs.)
1.	First Quarter	25%	1,950/-
2.	Second Quarter	50%	3,900/-
3.	Third Quarter	75%	5,850/-
4.	Fourth Quarter	100%	7,800/-

12) The penalty for delay in renewal is illustrated as per following chart.

While obtaining the approval to procedure of permitting fountain, etc. It is pertinent to consider one very important issue that whether any fountain etc. having its status of being un authorized due to any reason, if remains in existence and causing severe damage to community health by repeated vector breeding and consequent transmission of a disease in a community; Then such fountain will certainly deserve immediate demolition by following due process of law. This has to be part and parcel of the permitting procedure and therefore will have to be included in the format of permission as a part of policy.

Sanction of A.M.C.(ES) is therefore requested for:

- (A) To follow the procedure proposed hereinabove
- (B) To accept the charges for application form of Rs.130/- (Rupees one hundred Only) + 12% GST.
- (C) To accept the charges of Rs.520/- (Rupees Four Hundred Only) towards scrutiny charges of the application.

Administrative approval of AMC (ES) is also requested for the following :

- (1) Form of application incorporated as a booklet submitted vide C\_\_\_\_\_ to
   C
- (2) To publish notification in the newspaper informing revised policy for the foundation.

Submitted Please,

Insecticide Officer

E.H.O. Jt. M.C. ( M.E. & H) A.M.C (ES)

#### NOTIFICATION

The BRIHANMUMBAI MUNICIPAL CORPORATION hereby notify this for Public Information.

The Policy regarding permitting the Fountains/cascades is redefined by standing committee as per resolution No.396 dt. 31<sup>st</sup> August 2005, Accordingly the permission for Fountains / Ornamental tanks/Rock Garden/Fountains artificial water falls/cascades etc. or rather what is defined as the place and the site with or without excavation in the structure built upon / kept / installed, or fabricated, where water of any type any salinity and any quality is being played or is played for the purpose of beautifications will be issued to the applicants from \_\_\_\_\_\_.

Application Forms included in a booklet of information are available at the office of Insecticide Officer having its office at The Insecticide Officer, Hawkers Plaza Bldg., 5<sup>th</sup> floor, Janta Cloth market, Senapati Bapat Marg, Mumbai- 400 028.

Insecticide Officer

# CONDITIONS GOVERNING PERMISSION TO RETAIN JACUZZI & SWIMMING POOL

	l/We	the undersigned owner of residing at, Mumbai, Age:, hereby undertake
to	observe	
	1.	The Jacuzzi shall be provided with an outlet flushed with the bottom for emptying the bath tank thoroughly and same shall be connected to the Municipal drain or Balancing tank through proper intermediate Municipal approved fitting having water seal.
	2.	The Jacuzzi shall be emptied and scrubbed thoroughly once a week positively on every block day (as prescribed by M.M.C.) and there after the same shall be keep empty and dry for twenty four consecutive hours.
	3.	The water in the Jacuzzi shall not be allowed to stagnate so as to breed mosquitoes.
	4.	It will binding on the undersigned to allow immediate and uninterrupted access to the bonafide staff members of BRIHANMUMBAI MUNICIPAL CORPORATION, for the purpose of inspection & treatment or any other action, which the Insecticide Officer find deemed fit in any given situation as per relevant provision of M.M.C. Act.
		I shall take all such measures as may be communicated to me/us from time to time by your office to prevent mosquito breeding in the Jacuzzi.
	6.	I shall not demand any additional municipal water for the use of Jacuzzi.
	7.	I am aware that the permission shall be summarily withdrawn for breach of any of above mentioned conditions or for any other reason considered sufficient by the Municipal Commissioner or by any other Officer empowered by him on his behalf and following which, I am liable for legal action as per relevant provision in the M.M.C. Act and I further state that for which I shall have grievance.

Authorized Signatory for Owner

Owned by :-

Shri	 	 	
Address	 	 	

#### I.O.

At my last inspection Cistern No. ..... was found inaccessible. The owner may please be asked to provide an easy, safe and permanent access as per sketch and detail given below :-

Pest Control Officer ..... ward

Details -

- (1) Existing access
- (2) Defects
- (3) Space for fixing the iron ladder permanently
- (4) Situation of the cistern
- (5) Height of the proposed ladder
- (6) Height of the cistern
- (7) The upper ends of the proposed ladder are to be fixed to
- (8) The lower ends of the ladder are to be fixed in

[P.T.O.]

Sketch Plan

Vertical projection

Notice under Section 274(1) A of the Mumbai Municipal Corporation Act, 1888 as modified upto 1-3-1953.

#### Section 4(1) (b) (XIII) contd..

ORIGINAL

No. ..... of 20 - 20

To,

Shri / Smt. His / Her Address

Owner of premises No. .....at

WHEREAS in my opinion the storage under Nos. ..... at the abovementioned property is / are not easily accessible.

NOW I DO HEREBY GIVE YOU NOTICE pursuant to the provision of sub-section (1) A of Section 274 as amended as aforesaid that you are hereby required to provide within a fortnight from the date of receipt of this notice, easy, safe and permanent means of access to the storage tanks by providing a firmly fixed iron ladder extending from the floor / ground / terrace to about two feet above the top sheet of the cistern / top of the water closet block with its upper ends curved and fixed in the top sheet / top of the water closet block so as to serve as handgrips and the lower ends being fixed in cement concrete block on.

\_\_\_\_\_

I DO HEREBY GIVE YOU FURTHER NOTICE that should you fail to comply with the above requisition you will render yourself liable to the penalty prescribed in that behalf under section 471 of the said Act. Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20

Insecticide Officer For Greater Mu	Municipal Commissione	ər	
No. of 20 The original of this notice w this	· · · · · · · · · · · · · · · · · · ·	20	
Malaria Inspector _/_ Ward No of 20	Party's Signature	d	
This notice has been / has not of	_20	u	lay

Pest Control Officer \_\_\_\_\_ Ward.

at .....

Sir,

I have to inform you that the storage tanks at your abovementioned property is /are not accessible and it is necessary that easy, safe and permanent means of access thereto should be provided so as to facilitate the inspection thereof by the staff of this Department. I have to request you, therefore, to carry out the following requisition within a fortnight from the date of the receipt hereof, failing which; action will be taken against you as provided under Section 274(1) of the Municipal Act :-

To make the said cistern easily, safely and permanently accessible by providing a firmly fixed iron ladder extending from the floor / ground / Terrace to about two feet above the topsheet of the cistern / top of the water closet block with its upper ends curved and fixed in the topsheet / top of the water closet block so as to serve as handgrips. The lower ends of the ladder should be fixed in a block of cement concrete on .....

I have also to request you to keep the entrance to the Terrace / Trap door open or make the keys available when the staff of this department visit your premises for inspection purpose.

Yours faithfully,

Insecticide Officer

No. ..... of 20 - 20

Mumbai ..... 20

To,

.....

Subject : Periodical inspection of the cisterns Nos. ......at

Sir,

Pest Control Officer, \_\_\_\_\_ Ward, reports that at his last attempt to inspect the water cisterns the terrace / traps door leading to them was found closed. No inspection was therefore possible.

This department has to inspect every week a collections of and receptacles for water such as wells, tanks, cisterns, etc., to ascertain if they are breeding mosquitoes and to take measures to destroy and prevent the same. Your cisterns must accordingly be inspected once a week.

I have, therefore, to request you to make arrangements to keep the said terrace / trap door open on every ...... between ...... to keep the key with some responsible person on the spot to enable the staff of the department to make the necessary inspection.

Yours faithfully,

Insecticide Officer

Section 4(1) (b) (XIV)

# DETAILS IN RESPECT OF INFORMATION AVAILABLE ON ELECTRONIC FORM

NOT APPLICABLE

# Section 4(1) (b) (XV)

#### PARTICULARS OF THE FACILITIES AVAILBLE TO CITIZENS FOR OBTAINING INFORMATION

- 1. Printed Manual Available e.g. Health profile, Brihnamumbai health Services Guide
- 2. Exhibition
- 3. Through Newspapers
- 4. Information, Education & Communication and Mass Media Publicity by procuring & distributing publicity material like Hoardings, Posters, banners, pamphlets, placards, handbills, cinema slides, VCDs, TV Spot publicity through different press media like Print media, electronic Media, All India Radio, FM bands, Mega Phones propaganda, Walkathons, Rallies, Street Plays, Human Chain Messages, Announcement through public address system of Railways, ST Bus stands, Air Port etc. & giving announcement through Telecommunications like, MTNL, Mobiles, Pagers, Street Plays etc.
- 5. Public Notification through print media.
- 6. Notice requisitions also serve the purpose of information to public for vector control.

# NOTICE REQUISITIONS

	To demolish the parapet well of the said well and to fill in
<u>OPEN WELL WITH</u> PARAPET WALL	with earth completely up to the level of the Surrounding ground and to consolidate the site so as to leave no depression I to hold or collect water or to cover the well hermetically with cem concrete leaving no opening of any kind and to render the whole arrangement hermetical and perfectly mosquito proof.
WELL WITH A CONCRETE	To remove the trap door in the cover over the said and to close the opening with cement so as to render the well hermetical and perfectly mosquito proof.
<u>COVERED WELL IF</u> <u>OPENED UP</u> <u>HERMETICALLY</u>	To close the opening made in the cover or gaps in the cover trap door provided in the cover or the gaps, chinks and crevices in the cover over the well with cement concrete, so render the whole arrangement hermitical as to and perfectly mosquito proof as before.
CLEANING OF WELL	To clean the well by removing kutchra etc. therefrom and to maintain it in a clean condition at all times as an anti-mosquito measure.
ENTRANCES WITH STORM GRATINGS. WATER	To close the said open storm water entrances by adjusting with road dust so as to render the whole Arrangement perfectly mosquito proof.
OPEN DRAIN. CHANNEL	To clean the said open channel drain by removing silt, kootchar etc. there from once a week regularly so as to prevent stagnation of water and consequent breeding of mosquitoes therein.
REQUISITION FOR CELLER OR BASEMENT WORK	The floor and wall to be made perfectly water tight with a suitable impermeable material so as to prevent collection of water anywhere through Percolation.

UNAUTHORISED WELL	To fill in the well with earth completely upto the level of the surrounding ground and to consolidate the site so as to leave water and breed mosquito therein.
REQUISITION FOR STORM WATER ENTRANCES	To provide new properly fitting thick wrought from plates beneath the iron grating of the said of the said storm water entrances so as to render the whole arrangement perfectly mosquito proof.
TRENCHES	To pump out the water from the abovementioned trenches daily and to treat the left over unpumped stagnations with a suitable emulsifiable insecticide concentrate at least twice a week on Monday & Thursday so as to prevent breeding of mosquitoes therein . To provide a trap door with wire mesh with perforations not exceeding 1 / 16" in diameter so as to render the whole arrangement perfectly mosquito proof.
SUMP HOLDING WATER ACCUMULATED BY THE RELEASE OF	To connect the said sump to the Municipal Drain so as to disallow the stagnation of water and consequent breeding of mosquito therein.
STEAM OFFENCE COLLAR RING IS EMBEDED IN THE TOP SLAB AS SUCH GROOVE IS FORMED AROUND M.H.C	Requisition :- To raise the collar ring and fix it on the surface of the top slab so as to avoid the groove around the M.H.E. which is Likely to hold water breed mosquitoes.
UNAUTHORISED MASONARY TANK	To demolish the said masonry tank and to Level and consolidate the site so as to leave no depression likely to hold or collect water and breed mosquitoes therein.
SRUMS KEPT FOR DOMESTIC PURPSES LIKELY TO BREED MOSQUITOES Unauthorized cistern Galvanized tanks barrels etc. Kept for building, construction purposes or hotel purposes.	To empty and clean the said drum twice a week positively onandby overturning and to keep it free from mosquito breeding. To remove the said entirely off the premises as an antimosquito measure.
Undersigned in Salvation of systems	To require the said NMP water storage tank entirely off the premises as antimosquito measure.
Tube well being bored	To discontinue unauthorized of tube well & fill in the bored hole with good earth leaving no depressing likely to hold or collect water therein no depression
Unauthorized Tube Well	a) Remove all the fitting of the said unauthorized tube well entirely the premises and to fill the hole with good earth upto the level of the surrounding ground so as to leave no depressing likely to holder collect water and likely to bread mosquitoes therein.
Unauthorized Fountain	To demolish the said unauthorized fountain completely up to the level of surrounding ground and to level and consolidate the site so as demolish the said cooling tank.
R.C.C COOLING TANK & COOLING TOWER	To get it regularized by compliance by the conditions laid down in the respect for prevention of mosquitoes breeding therein.
Low Level	To fill in the said low level with earth completely up to the level of the surround ground and to level and consolidate the site so as to level no depressions likely to collect or hold water and breed mosquitoes therein.

# Section 4(1) (b) (XVI)

## THE NAMES, DESIGNATIONS AND OTHER PARTICULARS OF THE PUBLIC **INFORMATION OFFICERS**

PIC	PIO				
Name of PIO	Designation	Jurisdiction as PIO under RTI	Address Ph. No.	e-mail id for purpose of RTI	Appellate authority
Shri. Bebilal R. Bhansi	Pest Control Officer	S Ward	Office of the Pest Control Officer 'S' Ward, Room No 302, 3 <sup>rd</sup> Floor, LBS Marg, Bhandup (W), Mumbai– 400 078. Ph.022- 69364000 EXT:- 304 / 305	pco.s@mcgm. gov.in	Mr. Bhaskar Kasgikar, Asst. Commissioner 'S' Ward, 1 <sup>st</sup> floor, LBS Road Bhandup (W), Mumbai-400 078. Ph. 69364000 EXT:- 304 / 305

APIOs		В			
Sr.	Name of	Designation	Jurisdiction as APIO under	Address/ ph.	
No.	APIO		RTI	no.	
	N.A.				

#### Appellate authority

	Appellate authority		С		
Sr. No.	Name of Appellate authority	Designation	Jurisdiction as Appellate authority	PIO reporting	E-mail id for purpose of RTI
1.	Mr. Bhaskar Kasgikar	Asst. Comm.	S Ward	Pest Control Officer	pco.s@mcgm.com

# Section 4(1) (b) (XVII)

# OTHER USEFUL INFORMATION

<u>Central Stores</u>-Central Stores are maintained at P.C.O. F/S Ward for City, P.C.O. P/N ward for Western Suburb and P.C.O. M/W ward for Eastern Suburb to store Insecticides for their quick supply to respective wards

**Fogging repair workshop:** – Fogging repair work shop is maintained at P.C.O. G/S ward for maintenance and repair of shoulder mounted fogging machines and power operated pumps / sprayers.

**<u>Pump repair centre</u>**– Manually operated spraying Pumps repair centre is maintained at P.C.O. /L ward

Sr. No.	Name of Company & Proprietor	Address of Company
1	M/s. City Logic Pro. Virender Pratap Singh Mob. No. 9322729172, 8793306661	B/103, Revati Apartment, Opp. Sai Datta Temple, Sanyukt Nagar, Achole Cross Road, Nalasopara (E), Dist. Palghar, Pin- 401 209 Email. <u>Citylogic.ss@gmail.com</u>
2	M/s. GD Pest Control Private Limited Director- Mr. Sanjay Parui Mo 9702444466/ 7738444466	Shop No.2, Navyug Co-op, Hsg. Soc. Ltd. Aarey Checknaka, Goregaon(E), Mumbai-63 Tel- 022- 29277333
3	M/s. Pest Guard Mr. Prakash M. Kerkar Mob. 9757281592 7021495418	S-66, Zoom Plaza Mall, L.T. Road, Opp. Gorai Bus Depot, Borivali (West), Mumbai- 400 092. Email – <u>info@pestguard.net.in</u> Web - www.pestguard.net.in
4	M/s. Sanjary Creations Mr. Abdul Aziz Mansoor Shaikh Mob. 9594937110 8779666491	Office No. B-114, Shukla Estate, Singh Compound, Gulshan Nagar, Ajit Glass, Jogeshwari (West), Mumbai- 400102
5	M/s. Hina Seva Sahakari Sanstha Maryadit Director- Mrs. Kaneez Fatima Haider Raza Zaidi	Shop No. C/9 a, Pardi Samaj Laxmi Chawl, Ambojwadi Azad Nagar, Opp Masjid Gate No.8, Malwani, Dr. Ambedkar Road, Malad (West) Mob 9819317273
6	M/s. ODS Protective Services Pvt. Ltd. Mr. Prafull Mishra Tel- 022 2857 7766 / 2085 2700	105 & 106, D Wing, Kailash Industrial Complex,Veer Savarkar Marg, Vikhroli (West) Mumbai- 400 079. Email- <u>info@odspspl.com</u> web- <u>www.odspspl.com</u>
7	M/s. Pest and Hygiene Solution Pvt. Ltd. Pro. Ramesh Suryabhan Khurud	S.No 49/1 b, Shop no.9, Plot no.8, Deepali Apartment, Mula Road, Khadki, Pune-411003. Email – pandhsolutions365gmail.com

## List of approved Private Pest Control Operators

Sr. No.	Name of Company & Proprietor	Address of Company		
Corporation Pro Mr. Jaldhi Rajanikant Trivedi		Vireshwar Chamber, 4 <sup>th</sup> Floor, Office No.405, Next to Shaan Cinema,M.G.Road, Vile Parle (E), Mumbai – 400 057. Tel25965192 Email-support@elitecorporation.in/ certificate @elitecorporation.in		
9	M/s. J.D. Pest Control Mr. Prathmesh Adsul	26, Manthan Plaza , Nehru Road, Santacruz (E) Mumbai- 400055. Tel- 022 26665007 M. 9820509949		
10 M/s. Prime Pest Control Services Mr. Nemalapalli Pavankumar		C/201, 2 <sup>nd</sup> Floor, Kohinoor Apartment, N.C. Kelkar Road, Dadar (W), Mumbai – 400 028. www. Primepestcontrolservices.com		
11	M/s. Paragon Pesticides, Mrs. Pallavi Dicken Thomas	164, 4 <sup>th</sup> Floor, Modi Street, Zaveri Chember, Fort, Mumbai.400 001 Tel 022-22611399 Mob. 9820076116 , 9820663604		
12	M/s.Express Pesticides Private Limited Mr. Felix Jerome Quadros	S-5, Khira Indlustrial Estate, B.M. Bhargav Road,Santacruz (W), Mumbai -400 054. Email – <u>epcorn@yahoo.in</u> Website- <u>www.epcorn.com</u> Tel -61386600 Fax-61386601		
13 M/s. Core Pest Control 5 Services C Mr. Mithun Vishnu Yadav M Mob 9773715865 T		57, Gafur Khan Estate Chawl, Sambhaji Chowak, New Mill Road, Kurla (West), Mumbai- 400 070. Tel- 022-26505571 website- www.corepestcontrolservice.com		
14	M/s. Life Care Pest Control Services Pro. Mr. Suraj Kashinath Mohite Mob. 8291501321 8108952021	Shop No.30, Adarsh Market, Plot No. 18A, Sector 48A, Seawood (West) Navi Mumbai- 400 706 Email- lifecarepestcontrol.services@ gmail.com		

Sr. No.	Name of Company & Proprietor	Address of Company
15	M/s. Metro Pest Control Services Pro- Mr. Shubham Chandan Mohite	Ashtavinayak Path, Tagor Nagar-4, Vikhroli(E), Mumbai-400 083. Email- <u>metropestcontrol2019@gmail.com</u> Mob 9082490071, 9324711789
16	M/s. Abbasiya Nagari Seva Sahakari Sanstha Maryadit Mr. Haidar Raza A Zaidi	Room No. C-9, Pardi Samaj Laxmi Chawl,Ambojwadi Ambedkar Road, Azad Nagar, Gate No.8, Malad (West) Mumbai – 400095 Mob.9819317273
17	M/s. Antipest Treatments Mr. Pawan Kumar Shrivastav Mob 9920792211	D/103, Kailas Esplanade, L.B.S. Marg, Opp. Shreyas Talkies, Ghatkopar (West), Mumbai- 400086. Email- <u>antipesttreatments@gmail.com</u> Tel- 022-25002407,
18	M/s. S P INDUSTRIES Pro: Atul P. Bhat. Mob No 9869781781	7- Akashdip, Govind Nagar, Sodawala Lane, Borivali (W) Mumbai 400 092. Email : <u>info@spindustries.com</u> , , <u>prvinjosh22@gmail.com</u> Web : <u>www.spindusries.co</u>
19	M/s. PCI Pest Control Pvt. Ltd, Mr. Shankar Ghuge, Mob. No.9082572831	Gala No.27, Vardhaman Ind. Co-op-soc. Ltd, Gokul Nagar, Nr. Hotel United 21, LBS Road, Thane (W), 400 601.
20	M/s. Pest O Crush Mr. Pritam Kaiya Tel- 93222 43534	Shop No.2, Stand View Building, Plot no. 394, Lokmanya Nagar, Behind Bus Stand, Panvel, Pin – 410206 email- <u>pritam.kaiya@gmail.com</u> pesto_crush@yahoo.co.in
21	M/s. V-CARE Pro. Mr. Hemang P. Goradia	706/707, Shree Siddhivinayak Apt. Shraddhanand Road, Behind Kurle Aurto Garage, Vile Parle (E) Mumbai- 400 057. Tel- 26122273, 65707777, 65078888, 26122274 Email- <u>info@vcarepcs.com</u> Web- <u>www.vcarepcs.com</u>
22	M/s. Sadguru Krupa Seva Sahakari Sanstha Maryadit	

Sr. No.	Name of Company & Proprietor	Address of Company
23	M/s. Kolson Pest Control Tel- 26776924 Mob. 9930997295 9869055480	B/13, Dhake Estate, Ground Floor, Ceaser Road, Opp. Shivsena Shakha, Andheri (W), Mumbai – 400 058. Email – kolsonpestcontrol@yahoo.com
24	M/s. Mumbai Facility Management Services Mr. Akshay Sonar Mob. 8169233966 9821764457	Shop No.2, Indira Nagar, Opp. Zapoorza Society, Old Nagardas Road, Andheri (East), Mumbai 400 069. Email -mfms03547@gmail.com
25	M/s. S & R Pest Control Services Pro. Mr. Narendra S. Ruikar, Mob9821057746 9324838396	Shop No.7, Ground Floor, A-Wing, Parasnath Darshan, Indira Nagar, Near State bank of India, Vidhya Vihar (W), Mumbai- 400 086. Email- <u>srpest@gmail.com</u> , srpest123@gmail.com
26	M/s. Pestermynate Enterprises Pro Mr. Rajendra Jadhav Tel 022 24712345	15, Vimawala House, Jijibhai Lane, Opp. Center point , Lalbaug , Mumbai - 400012. Email: <u>pestermynate@gmail.com</u> Mob. No. 9869228350
27	M/s. X Throw Facility Management LLP Pro. Mr. Avinash Savantraj More	Gautam Arcade, Office No 7a/b, Tilak Road, Kopari, Thane (East) Thane (M corp.), Pin- 400603. Mob- 9987285555
28	M/s. Smart Kills Pest Zone System Pro. Smt. Deepali Yashwant Kamble	Room No.21, Bldg. No. 20, Deonar Municipal colony, Market Road, Govandi (West), Mumbai – 400 043. Mob 9029046133
29	M/s. Aquarius Pro. Jayprakash V. Singh Mob. 9821516634	Shop No.1-B, Mahadeo Darshan, J.V.K. Marg, Koldongri, Andheri (E), Mumbai- 400 069 Tel- 26825867
30	M/s. A – One Star Pest Control Services Pro. Mrs. Chetana Chintaman Shirkar	Gala No. A-103, 1st Floor, Bldg. No. A, Amar Gian Co-op. Premises Society Ltd., L.B.S. Marg, Opp. S.T. Workshop, Khopat, Thane (West) Pin-400 601. Mob. 9820754098 / 9323318918

Sr. No.	Name of Company & Proprietor	Address of Company
31	M/s. Vishal Samajik Seva Sahakari Sanstha Maryadit Pro. Kaneez Fatima Haider Raja Zaidi Mo. 770038869	Shop No. C/9 A, Pardi Samaj Laxmi Chawl, Ambojwadi, Azad Nagar, Opp Masjid Gate No.8, Malwani, Dr. Ambedkar Road, Malad (West) Mumbai- 400 095.
32	M/s. IPM and Fumigation India, Mr. Somsundaram Shivakumar,	Unit No.126, Bldg. No.6, Jogani Ind. Complex, Chunabhatti, Mumbai - 400 022, Phone No.022 24055888
33	M/s. Best Solutions Pro. Priti Salvi Mob. 8291177967 9821550535	406, Kairali Chs, Goddev Naka, Bhayander (East), Thane- 401 105. Email- bestsolutions27@gmail.com