





LEGEND	QTY.
1 LED STREET LIGHT FITTING-10W	26
2 LED STREET LIGHT FITTING-10W	11
3 LED FACADE LIGHT FITTING-15W	22
4 AVIATION OBSTRUCTION LIGHT	4
5 LIGHTNING ARRESTOR	4
6 LIGHTNING ARRESTOR EARTHING	4

**NOTES:**

BEEN CONSIDERATION FOR BRIDGE :  
 (FOR MAIN CARPARKWAY)  
 ROAD WIDTH : 9 & 11m  
 MEDIAN WIDTH : 0.50m  
 HEIGHT OF THE POLE : 8m  
 MOUNTING HEIGHT : 8.0m  
 APPROXIMATE : ON MEDIAN  
 NUMBER OF LAMPARIES PER POLE : 2m  
 LAMP TYPE : LED  
 LAMPARE USED : LED 10W WATT STREET LIGHT  
 NLT : 5 DEGREE  
 BRACKET ARM LENGTH : 1.5m  
 DISTANCE BETWEEN POLES : 22m

BEEN CONSIDERATION FOR APPROACH  
 ROAD :  
 (FOR MAIN CARPARKWAY ROAD)  
 ROAD WIDTH : 2 & 11m  
 HEIGHT OF THE POLE : 8m  
 MOUNTING HEIGHT : 10.5m  
 APPROXIMATE : OPPOSITE USED  
 LAMPARE USED : LED 10W WATT STREET LIGHT  
 NLT : 5 DEGREE  
 BRACKET ARM LENGTH : 1.5m  
 DISTANCE BETWEEN POLES : 22m

*Blain*



FOR TENDER PURPOSE ONLY

DATE	REV	DESCRIPTION
ELECTRICAL ASSOCIATE CONSULTANTS		
<b>EMKAY CONSULTANTS</b>		
84, SOUTH SHOPPING CENTER, SOUTH WING, GRANT ROAD, MUMBAI-400 007 TEL: 022 2381 2086 TEL/FAX : 022 2381 7328 E-mail: emkayinfo@gmail.com		
JOB CONSTRUCTION OF VEHICULAR BRIDGE BEHIND BHIMJI SINGH NAGAR ACROSS GOREGAON CREEK ALONG 36.6M WIDE D.P. ROAD AT BOUNDARY OF S/WEST AND P/SOUTH WARD.		CLIENT: MCOM
STRUCTURE: CABLE STAYED BRIDGE	DRG. NO. B3406/501	RO
PARTICULARS: ELECTRICAL LIGHTING LAYOUT	SCALE: AS SHOWN	DATE: 09/10/2021
DESIGNED BY PRASHANT D	CHECKED BY	
DRAWN BY PRASHANT D	MR. KULKARNI	
<b>SHRIKHANDE CONSULTANTS PVT. LTD.</b> TRUST • EXPERIENCE • QUALITY		
83, SHANTI CENTRE, PLOT NO.8, SECTOR 17, VISHA, NAHAR MUMBAI 400 700		

